Botanical Exchange Reports

INDEX.

SHOUT
SHARE
IT

BS
BH
1a

Given 19?? by B. Reynolds to





INDEX to

Botanical Exchange Club Reports for the

years I905 and I908 to I933

Also the Watson Club Reports pages No I to No. 590
and I9I6 to I9I8.

FOREWORD.

This does not claim to be a full Index. It was started as a personal one, and included mainly such plants that I had, at that time, not got. Hence the repetition of certain plants.

I,afterwards, elaborated my first intentions, but the fact remains that it is not a complete Index. However, a good deal of the abundant store of botanic knowledge contained these volumes is thus placed for easy reference.

Little explanation of the modus operandi of this Index is needful.

The years is placed first, followed by the plants name, and at the end of each line, is the NO. of page. Years I923-25, 26-28, and I932-33 are complete volumes and in these,the specific year is not named.

In the Watson Club Reports (which are marked W.) the pages are numbered regularly, I to 560, after which they again begin with another Page I, but to these

later pages I have added the years,

I ceased to be a member of the Watson Club in 1918.

I have named many Aliens (especially after 1925) but it seems of little use, as such plants very rarely exist over the year that they are found.

Bernard Reynolds.

Nov. 2 1934.

Index of B.E.R.
I905, I908 to I933. Also Watson Club Reports.

A.

32-33	Abstract of Papers	497
23-25	Abutilon	869
W	Acaena Sanguisorba	492
I2	,, ,,	246
23-25	,, laevigaXta	387
32-33	Acanthus mollis	537
23-25	Acer camp. formas	32
22	,, ,, ,,	605
29-30	,, ,, ,,	340
29$\frac{3}{2}$30	,, ,, V Bryonioides	259
29-30	,, ,, V leiocarpon	II0
I8	,, ,, V lobatum	28I
29-30	,, ,, V trilobata	20
23-25	Achillea Millef. Vars.	576-878
I7	,, ,, V conspicua	34-228
29-30	,, ,, ,, ,,	II9-356
29-30	,, ,, V lanata	356
23-25	,, macrophila	I05I
3I,	,, nobilis	654
32-33	,, siberica V typica	47I
29-30	Aconitum anglicum	I0I
I9	,, laciniosum	548
23-25	,, ,,	763
I8	,, ,, V compactum	273
29-30	Acorus Calamus	I40
I5	Aden Flora	235

29-30	Adonis aestivalis	I06
23-25	,, annua (autumnalis)	553
32-33	,, ,,	515
29-30	ÆEthusa Cynap. V agrestis	II7-228
26-28	African, South. Plants	50
3I	Agriculture, (Review)	578
I9	Agrimonia agrimonoides	652
23-25	,, ,,	I82
32-33	,, ,,	524
29-30	,, Eupatoria forma	22
29-30	,, ,,	35I
20	,, ,, V sepium	I22
29-30	,, ,, V umbrosa	II5
29-30	,, odorata	II5-35I
29-30	Agropyrum (s)	I46-242- 532
I8	,, camp.	I45
23-25	,, ,,	73
I4	,, Donáanum	78
29-30	,, intermedium	286
32-33	,, Leersianum	II6
26-28	,, repens V.	425
I4	,, ,, ,,	37
32-33	,, tenerum	4I
I8	,, Viallantum (V. of repens)	4I0

2I	Agrostis. (long notes) A Lennie Vars	322
29-30	,, (s)	I44
29-30	,, alba forma	53I
29-30	,, ,, V sylvatica	377
32-33	,, ,, ,, ,,	778
I2	,, mutica	295
23-25	,, nigra notes	4II
29-30	,, pumila	377
I2	,, retrofacta	295
32-33	,, setacea	549-778
23-25	,, verticillata X palustris	457
22	Ajuga genevensis	743
29-30	,, ,,	I32
I7	,, ,,	I37
23-25	,, ,,	89I
23-25	,, pyramid. X reptans	40I
I5	,, ,, ,, ,,	207
23-25	,, reptans V alpina	54
23-25	,, ,, V stoloniflora	53-33I

23-25 Alchemilla (s) 720-771
29-30 ,, ,, 21-114- 351
32-33 ,, ,, 99- 164
9 ,, notes 427
13 ,, ,, 323
26-28 ,, ,, 517
14 ,, acutidens 13-140
31 ,, controversa 726
29-30 ,, minor 226
29-30 ,, pastoralis 513
~~32x33~~ 31 ,, pratensis forma truncata 556
26-28 ,, Salmoniana 24
29-30 ,, vulgaris 513
23-25 ,, ,, V pratense 1047
29-30 Algerian Plants 454
29-30 Alisma Plant. aquat. V lanceolata 373
31 ,, ,, ,, ,, ,, III-671
19 ,, Ranunculioides (Echinodorus) 684
8 Allium (s) 398
~~15x~~ 16 ,, ,, 504
29-30 ,, ,, ~~x321~~ 372
23-25 ,, paradoxa 599 ~~x315x~~
31 ,, Porrum 571
23-25 ,, sativum 407
5 ,, Schoenoprasum 185
17 ,, ,, 130
29-30 ,, ,, 139

I6	Allium Scorodoprasum	589
I7	,, ,,	250
32-33	,, ,,	772
29-30	,, vineale V bulbif.	I39
23-25	Allocarya	777
23-25	Alonsoa	74
W	Alnus glutinosus V incisa	256
22	,, incana	623
23-25	,, ,,	62
29-30	,, ,,	525
23-25	,, ,, V glabra	452
29-30	Alopecurus (s)	376
9-30	,, aequalis	~~xI42x~~ I44- 242
I8	,, alp. V robustus	3II
29-30	,, Myosurus	I44
22	,, pratensis V caesius	633-863
23-25	,, ,, ,, ,,	4I0
I6	Althaea hirsuta	477
26-28	,, ,,	730
9-30	,, ,,	I08-224
3I	,, ,,	639
9-30	Alyssum marit.	I02
23-25	Amaranthus (s)	82I
I9	,, aliens	625
22	,, ,,	396
2-33	,, angustif.	I08
2-33	,, blitoides	769
9-30	,, hybridus V patulus	34
3-25	,, retroflexus V.	I062
W	,, sylvestris	252

~~xxxx~~ 32-33
~~xxx~~ Amended Descriptions 233

I7 America. North, Flora 80

3I American Plants 840

29-30 Ammi majus 354

29-30 Amophila baltica 530

26-28 Anagallis arvensis Var. Serpyllifolia (Zapf(CO) 33

29-30 ,, ,, (Garten forma) I26

32-33 ,, ,, V pallida I62

23-25 ,, ,, V purpurea 44

2I Anaphalis marginata 563

3I Anchusa Note 568

I6 ,, (s) II7

3I ,, ,, 660

29-30 ,, sempervirens 362

29-30 ,, Vars. I27

W ,, offic. 545

I9 Andromeda polif. 665

29-30 ,, ,, I73

23-25 ,, ,, 884

23-25 Andryala 43

3I Anemone appennina 632

26-28 ,, coerulea I8
29-30
~~xx~~ ,, ,, I00

3I ,, coronaria 632

I6 ,, nemorosa Vs. 397

3I ,, ,, V purpurea 632

20 Angelica sylv. notes 23

Angelica cont.

23-25	Angelica sylv. V decurrens	185-876
29-30	,, ,, ,, ,,	354
29-30	,, ,, V, purpurescens	22
32-33	Annals of the B.E.Club	282
29-30	Antennaria dioica	23-119-356
18	,, ,, V hyper.	286
29-30	Anthemis Cotula	119
23-25	,, macra.	439
20	,, Ruthenica	129
32-33	,, ,,	530
21	,, ,,	383
31	,, tinctoria V discoidea	830
23-25	,, Weidem.	878
29-30	Anthoxanthemum aristatum	144-242
23-25	,, odoratum Vs.	410
23-25	,, ,, V interruptus	791
23-25	,, ,, V ramosum	72
W	,, Puellii	514
8	,, ,,	404
14	,, ,,	77
17	,, ,,	133
W	Anthriscus Cerefolium	446
12	,, ,,	256
17	,, ,,	109
18	,, ,,	318
3-25	,, ,,	186
17	,, formąs	29
16	,, sylv. Vs.	431
17	,, ,, ,,	28-108

26-28 Antirrhinum Orontieum V grandif. I26

I7 Anthyllis rubra I9

W Apera interrupta 5I4
I4 ,, ,, 78
I6 ,, ,, xxxxx 508-594
23-25 ,, ,, 4II

29-30 ,, Spica-venti I44-53I

29-30 Apium inundatum 354

20 ,, leptophyllum I25
22 ,, ,, 728
23-25 ,, ,, 36

I3 ,, Moorei 324-470

29-30 ,, nodif. V pseudo-repens 5I5

I6 ,, (Notes) 570

I9 Aponogeton 684

23-25 ,, 600

I6 Aquilegia 398

I9 ,, pubescens 547

29-30 ,, vulg. forma I0I

I6 Arabis (s) 556
I4 ,, alpina II5
I5 ,, glabra 256
II ,, ,, 7I
32-33 ,, ,, 5I6
29-30 ,, hirsuta I02
3I ,, ,, 634
2I ,, ,, V conferta 550
I2 ,, ,, V Gerardi I52
I9 ,, rosea 548
3I ,, ,, 634

8 Arctium (s) 332

23-25 ,, monograph 690

I3 ,, notes 475

9-30 ,, Lappa I20

I9 ,, ,, X vulgare 662

9-30 ,, nemorosum I20-357

I6 Arctostaphylos alpina 494

I8 ,, Uva-ursi V angustif. 289

I ,, ,, ,, ,, ,, 653

Arenaria balearica 56I

-28 ,, ,, 729

,, gothica I28

-25 ,, leptocladus Var. I035
-30 ,, ,, V micrantha 259
-33 ,, ,, V petiolata I59

-25 ,, montana 562

-28 ,, peploides V diffusa 729

-30 ,, serpyllifolia V glanduluschila 258
2-33 ,, ,, V scaber I59
I7 ,, ,, V viscidula 2I2

29-30 ,, tenuif. 5I0
W ,, ,, V laxa 386

I6 ,,, (s) 406

I Argentina (Review) 578

9-30 Armeria maritima 232

9-30 Arrhenatherum (s) I45-377

I4 ,, tuberosum 29

3I Artemesia (s) 654

23-25 ,, Dracunculus (Tarragon) 392

W ,, pontica I89

29-30 Asarum europ. I35

I3 Ascherson & Graebner Fl. (Polygonaceae) 350

W Asperugo procumbens I9
8 ,, ,, 390
I5 ,, ,, 274
I6 ,, ,, 495
I7 ,, ,, II8
26-28 ,, ,, I25
29-30 ,, ,, I27-362-5I8
32-33 ,, ,, 534

I5 Asperula (s) 269

29-30 ,, ,, 355

W ,, arvensis 54I
I7 ,, ,, II0
20 ,, ,, I27
23-25 ,, ,, 574
26-28 ,, ,, II6
I6 ,, ,, forma 489

23-25 ,, ciliata 877

W ,, Taurina 98

20 Asphodelus fistul. I50

I5 Asplenium Ad.Nigrum V 597

2I ,, ,, ,, V caudif. 327

I3 ,, germanicum 345

29-30 ,, lanceolatum 287

23-25 ,, marinum V plumosum 793
26-28 ,, ,, Var. I43

29-30 ,, Ruta-muraria V pseudo-germanicum 379

I4 ,, Sinelii 79
I2 ,, ,, I86

20 ,, trichomanes V furcatum I6I

23-25	Aster (s)	997
3I	,, ,,	7I0
32-33	,, ,,	529
29-30	,, aliens	270-356
2I	,, linosyris	563
W	,, ,,	342
23-25	,, Novi-Belgii	877
I5	,, Tripolium V glaber	I99
29-30	,, ,, ,, ,,	356
I5	Astragalus alp.	26I
26-28	,, boeticus	733
29-30	,, ,,	II0-226
3I	,, Cicer	640
I5	,, danicus V.	I94
23-25	,, hamosus	I79
29-30	,, odoratus	259
3I	,, ,,	640
29-30	Astrantia major	II7
3I		
~~32-33~~	,, maxima	652
I6	Athyrium alp. V obtus.	597
29-30	Atriplex (s)	I24-237-368
3I	,, ,,	666
32-33	,, (New Vs.)	29
29-30	,, calotheca	279
I2	,, hastata V.	I76
I6	,, ,, (& Xs)	585
29-30	Atropa Belladonna	I28-5I9

~~22 22x23~~		
25-25	Australian Plants.	823
I5	,, Vegetation	238
I3	Avebury. Obit.	382
29-30	Avena (s)	I45
23-25	,, fatua V pilos.	4I2
W	,, prat. V longif.	II9
I0	,, sativa V bromoides	5II
29-30	,, sterilis V oleodens	286
2I	,, strigosa (notes)	322
23-25	,, ,, Vars.	4I2
29-30	Axyris Amar.	I39-368
I2	Azolla	I86
I3	,,	346
29-30	,,	I47-244
3I	,, filiculoides	573

23-25	Baccharis	774
20	Baker. J.G. Obit.	93
23-25	Bailey. Obit.	526
8	Ballota (notes)	353
I7	,, nigra V membranacea	49- I22
29-30	,, ,, & Var.	I32
W	Barbarea arcuata	I74
I7	,, ,,	95
29-30	,, ,,	I02
23-25	,, V camp.	374
3I	,, intermedia	634
I8	,, ,, V fallax	277
W	,, taurica	I74
I6	,, Vars.	402
3I	,, verna	634
II	,, vulg. V transiens	70
26-28	,, ,, Vs. (inc. transiens)	386
23-25	Barclay. W. Obit.	I45
23-25	Bartsia Odont. V pallida	888
29-30	,, viscosa	364-52I
29-30	,, ,, V breviflora	38
26-28	Batrachia. British,	8II
29-30	Beattie. Plant notes.	533
23-25	Beinn Laoigh (Notes)	269

3I		
~~xxxx~~	Belgigue So. Botanique	58I
29-30	Bellis per.	355
23-25	,, ,, formas	579
I7	,, ,, V "" Hen & Chickens Var""	~~xxxxx~~ II0
29-30	Bennet. Arthur, Obit.	8I
3I	Benthamia (Review)	594
23-25	Benthams Handbook	462
W	Berberis arist.	I73
23-25	,, vulg.	25
I8	Berks Flora	445
32-33	Betula alba (Long paper)	65I
5	,, interm.	6
W	,, nana (etc.)	255
29-30	,, ,,	369
3I	,, ,,	84I
I5	Bidens (s)	35I
I6	,, ,,	573
I7	,, X.	33
29-30	,, cernua	5I6
22	,, ,, V radiata	730
23-25	,, frondosa	576
26-28	,, ,,	742
I8	,, pilosa	383
29-30	,, tripartita	5I6
I9	,, ,, V integra	562
32-33	Bifora radians	22
29-30	Blechnum SpicantV bifidum	379

26-28	Botrychium matricariae	323
23-25	,, rutaceum	998
26-28	,, ,,	212
29-30	Brachypodium sylv.	146
29-30	,, pinnatum V corniculatum	146-531
32-33	,, ,, V gracile	41-456
19	Bradford Aliens	719
26-28	Brambles (Long notes)	499
29-30	,, (Notes)	168-423
23-25	Brassica (s)	557-362
29-30	,, ,,	103
31	,, ,,	636
31	,, alba V phaeosperma	553
31	,, arvensis V media	553
31	,, incana forma glabrescens	553
W	,, juncea	383
18	,, ,,	369
19	,, ,,	639
20	,, ,,	111
23-25	,, ,,	168
12	,, monensis	231
22	,, ,,	827
29-30	,, Napus forma auriculata	19
31	,, ,, V syntonocarpa	553
W	,, Rapa V Briggsii	220
11	,, ,, ,, ,,	73
19	,, Turgida	549

~~xxxx~~	Braunton Burrows (Many Photos)	258
23-25	Breckland Plants.	8II
29-30	Brewer. Samuel, Diary	Sup. 505
I6	Bristol Aliens	5I2
32-33	,, Alien Flora	3I4
3I	British Ass. (Review)	584
29-30	,, Flora Notes	250
26-28	,, Pl. List. Corrections.	867
23-25	Britten. Obit.	536
26-28	Briza media V.	322
I5	Bromus (s)	389
I6	,, ,,	596
29-30	,, ,,	I46-242-378
3I	,, ,,	678
32-33	,, ,, (2 new)	4I
5	,, brachystachys	I9I
29-30	,, britannicus	4I-286-53I
I8	,, brizaeformis	409
23-25	,, ciliatus	604
I6	,, commutatus Var.	434
32-35	,, hordeaceus V pseudo-racemosus	907
32-33	,, lepidus = britannicus	I55
2I	,, mollis V thominii	585
W	,, ramosus V Benekenii	28
W	,, rigidus	320
22	,, secalinus V badensis	864
W	,, tectorum	559

29-30	Bryonia dioica	II7
23-25	Bubonium	575
3I	Buddlea Davidi	660
29-30	Bunias orient.	I05
23-25	Buphthalum	38
32-33	,, speciosum	I03
29-30	Bupleurum (s)	II7-5I5
23-25	,, lanc.	I85
I3	,, opacum	470
22	,, tenuissi.	84I
I5	Bursa (s)	3I7
2I	,, ,,	373
22	,, ,,	7I8
23-25	,, ,,	I69 375-557-755-863
29-30	,, ,,	I03-258-334
3I	,, ,,	678
32-33	,, Druçeana	429
29-30	,, ~~pallida~~ gallica	222
20	,, Monograph.	I79
29-30 32-33	,, ~~pergrossa~~ pastoris V.	508
29-30	,, pergrossa	I9
3I	,, sublaevigata	553
29-30	Burton-on-Trent Aliens.	465



5 Cakile marit. V integrifolia I56

29-30 Calamagrostis epegeios I44

29-30 ,, neglecta 377

31 Calamintha Acinos V alba 838

23-25 ,, boetica 52- ~~xxx~~ 40I

22 ,, ,, 6I8

I8 Calceolaria 389

I ,, scabiosifolia 568

23-25 Calendula (s) I90-879

3I Californian Publications (Review) 588

I7 Callitriche (s) 224

2-33 ,, ,, 528

29-30 ,, Key. 77

-30 ,, obtusangula 353

9-30 ,, pedunculata II6

I3 ,, polymorpha 387

2I ,, ,, 56I

-25 ,, ,, 875

-30 ,, ,, 353

I ,, ,, in Ireland. Review- 606

I ,, stagnalis Vars. 93

-25 ,, ,, ,, 875

5 ,, truncata I70

I2 ,, ,, I62

I3 ,, ,, 468

-33 ,, ,, V occidentalis 762

I3 Calluna vulg. V arborescens, etc. 328
II ,, ,, V Erikae 24
I7
23-25 ,, ,, V speciosa II6
,, ,, ,, ,, 884
W Caltha palustris V minor 2I8
22 ,, ,, V parvif. 600
29-30 ,, radicans 332
3I ,, ,, 633
I4 Cambridge Flora. 33
20 ,, ,, 75
3I Camelina Alyssum forma brachycarpa 552
I0 ,, foetida 495
29-30 Campanula (s) I25-360
3I ,, ,, 658
23-25 ,, patula 883- I053
I6 ,, l,, 494
I7 ,, ,, II5
29-30 ,, ,, 23I
32-33 ,, Rapunculoides I05-532
I3 ,, rotundif. Vars 482
26-28 ,, ,, V. 746
I3 ,, ,, V confertif. 327
W ,, ,, Vs. elongata & hirta 449
3I ,, ,, V fissa 567
3I ,, ,, V linearifolius 568
~~22x28x~~
26-28 Canary Is. notes 539
29-30 Cannabis sativa I36
29-30 Cape Peninsula Flora 68

29-30	Capnoides claviculata (Fumaria)	I02
3I	,, ,, ,,	634
32-33	,, eximia	5I6
23-25	Capnorchis formosa	86I
5	Cardamine (s)	I54
W	,, amara V erubescens	8
2I	,, ,, ,, ,,	37I
	,, ,, V parvif	602
-30	,, bulbifera	508
I	,, hirsuta V exigua	552
9-30	,, impatiens V apetala	I02
6-28	,, ,, V poterif.	30I
32-33	,, pratensis. (Long Paper)	209
II	,, ,, V dentata	7I
I6	,, ,, ,, ,,	556
3I	,, ,, V Hayneana	634
I9	,, trifolia	637
-33	,, ,,	5I6
5-25	Cardiff Aliens	999
26-28	,, ,,	I8I
29-30	Carduus (s)	I20-357
I3	,, acanthoides	475
23-25	,, ,, V litigiosus	880
I8	,, ,, X nutans (Newbouldii)	384
W	,, nutans X crispus	55
I7	,, ,, Var.	36
23-25	,, ,, V macrocephalus	I9I-727
22	,, pycnocephalus	73I
29-30	,, ,,,	230

5	Carex	(s)	I86
8	,,	,,	402
9	,,	,,	477
I3	,,	,,	504
I4	,,	,,	77-I69
I5	,,	,,	2I5-286
I6	,,	,,	506- 59I
I7	,,	,,	I3I-253
29-30	,,	,,	4I-I4I-24I-375-530
3I	,,	,,	674-843
32-33	,,	,,	II2-I63-453-547-774
32-33	,,	(Long Paper)	I67
32-33	,,	Xs	682
9	,,	notes	42I
23-25	,,	,,	789-902
W	,,	aquatilis	462
W	,,	,, V angustata	3I7
W	,,	,, V virescens	3I8
22	,,	canescens X stellulata	~~633~~ 633
W	,,	chaetophylla	262
I8	,,	csomadensis X.	405
I8	,,	Devonshire, (Key)	4I4
W	,,	digitata	26
8	,,	gracilescens	402
W	,,	gracilis V gracilescens	462
2I	,,	,, V tricostata	582
I0	,,	Goodenov. X.	602
I0	,,	hirta Var.	603
W	,,	hirtaformis	463
23-25	,,	,,	2I8

B.E.R. 1905 to 1933
Carex cont.

6-28	Carex	inflata X.	421
18	,,	,, V angustif.	311
0	,,	lasiocarpa	154
	,,	magellanica	66-513
-28	,,	,,	139
-25	,,	microglochin	69
W	,,	montana	264
7	,,	muricata V fumosa	54
28	,,	pallescens V undulata	421
	,,	paniculata V pseuda-paradoxa	429
	,,	paradoxa	316-513
	,,	,, X paniculata	294
	,,	pauciflora	156
	,,	prolixa	364
	,,	Pseudo-Cyp. V minor	752
	,,	punctata	685
	,,	,,	743
	,,	,,	139
5	,,	remota X divulsa	743-456
	,,	,, V subloliacea	319
	,,	riparia V gracilis	53
	,,	salina	686
	,,	saxatilis Vars, etc.	509
	,,	spiculosa	319
25	,,	sylvatica forma	408
0	,,	tomentosa	155
25	,,	,,	219-409
2	,,	tricostata	293
	,,	trinervis	264
	,,	vesicaria V involuta	118
33	,,	vulpiniodes	37

32-33 Carpels (Long Paper) 598

29-30 Carpinus Betulus I36

29-30 ,, ,, V incisa 36

23-25 ,, ,, V parvif 2II

22 ,, ,, ,, ,, 855

29-30 Carum Carvi II7

I9 ,, verticillatum 656

22 ,, ,, 841

23-25 ,, ,, 390

I2 Castalia (s) I5I

26-28 ,, ,, I04

26-28 ,, alba Var. 385

29-30 ,, ,, V occidentalis 332

26-28 ,, occidentalis 723

29-30 Catabrosa aquatica 531

W ,, minor 558

29-30 Catkin-bearing Plants 294

3I Caucalis (s) 653

29-30 ,, daucoides 229

23-25 ,, ,, Var. 772

I8 ,, latifolia 382

29-30 ,, ,, II8

23-25 ,, ,, I87

22 ,, leptophylla 729

23-25 ,, ,, 574

W(I6-I7) ,, nodosa V pedunculata 20

29-30 ,, ,, V ,, II8

23-25 Centaurea. Key. 960
20 ,, (s) 27-I3I
2I ,, ,, 565
22 ,, ,, 732-767-844
23-25 ,, ,, I92-392-578-727-880-I052
26-28 ,, ,, 576
29-30 ,, ,, I2I-358
3I ,, ,, 660-83I
2-33 ,, ,, I06-53I-765
3-25 ,, aspera Vars. 42
-30 ,, ,, V auricularia 23
20 ,, Jacea notes I63
30 ,, ,, Vars. 230
I ,, Monograph. 406
6-28 ,, pratensis I49
7 ,, Scabiosa Var. II3
,, ,, V Gelmii 663
-30 Centaurium ~~xxx~~ (s) (Erythraea) ~~xxx~~ I26
-30 ,, capitatum 36I
6-28 ,, Cent. V confertus 408
33 ,, pulchellum V simplicissimum 533
-30 Cephalanthera longif. I37-370
-33 ,, rubra 543
0 Cerastium (s) 498
3 ,, ,, 458
5 ,, ,, 330
,, ,, 376
30 ,, ,, 337
3 ,, Vars. 3I0
-25 ,, alpinus X vulg. 562
-30 ,, arvense I07
,, ,, V Andrewsii 44I
0 ,, erectum 52I
7 ,, pumilum 99-2I2

23-25 Cerastium ~~tetrandrum tetratr~~ tetrandrum V caespitosum

26-28 ,, semidecandrum X vulgatum 6I0

23-25 ,, subtetrandrum I035
I2 ,, ,, 236
I9 ,, ,, 550

I8 ,, viscosum V elongatum 279

29-30 ,, ,, V macropet. 224-5I0

23-25 ,, ,, formas 30

32-33 ,, vulgatum (Long Paper) 583

29-30 ,, ,, V Hanburyense 258

I9 ,, ,, V lucens 550

3I ,, ,, V pratense 554

23-25 ,, ,, V serpentini 377

W Ceratophyllum (s) 509
26-28 ,, ,, 2II

29-30 ,, demersum 369

23-25 Cerinthe minor 585
20 ,, ,, I36

W(I7-I8) Ceterach crenata 82

29-30 Chaerefolium Anthriscus 354

29-30 ,, sylv. V angustisecta 354- 5I6

23-25 Chaerophyllum temulum V chryseum. 36

I0 ,, aureum 52I
I2 ,, ,, 256

I7 Channel Is. Plants. I38

29-30 Chara (s) 379-533

I6 Characeae 5II

20 Charophyta. British, 66
23-25 ,, ,, 487

29-30 Cheiranthus Cheiri I02
W Chelidonium laciniatum 6
8 ,, ,, 359

3I	Chenopodiaceae (Review)	576
I2	Chenopodium (s)	I74
I3	,, ,,	333
I6	,, ,,	500
I7	,, ,,	I23-244
20	,, ,,	I45
22	,, ,,	62I-745
3-25	,, ,,	208-593-780-89I
6-28	,, ,,	636
9-30	,, ,,	34-I33-237-279-367
3I	,, ,,	570-666-838
-33	,, ,,	29-I08-449-[illegible] 769
I7	,, Key.	50
2I	,, Key to album, etc.	305
I9	,, capitatum	676
W	,, hybridum V Paeskii	406
I8	,, murale V paucidentatum	307
2-33	,, rostratum	49I
I5	,, urbicum	278
-33	,, ,,	539
W	,, ,, V intermedium	63
20	Chepstow Flora.	84
23-25	Chrysanthemum Balsamita	878
26-28	,, lacustris	742
I8	,, leucanthemum V discoidea	287
23-25	,, ,, V laciniata	38
I8	,, maximum	383
23-25	,, myconis	577
22	,, Parthenium formas	609
3-25	,, ,, Var.	I05I
29-30	Chrysosplenium oppositif.	353

I2	Cicendia pusilla	269
I7	Cichorium Int. Var.	37
26-28		
29-30	,, ,, V glabratum	402
	,, ,, ,, ,,	358
~~23-25~~	~~Circaea alp.~~	~~xx~~
29-30	Circeae alp.	II6-354
I6	,, ,, etc.	487
29-30	,, canadensis (intermedia)	354
W I9	,, intermedia	I6
23-25	,, ,,	655
	,, ,,	572
29-30	Cirsium (s)	I2I-357
29-30	,, acaule	230
22b	,, arv. Vars.	73I
I5	,, ,, V marit.	202
32-33	,, ,, X tuberosus	I62
I3	,, eriophorum	36I
2I	,, ,, V britannicum	564
W(I7-I8)	,, ferox	65
II	,, ,,	22
I4	,, ,,	68
I5	,, ,,	270
I6	,, ,,	49I
I7	,, ,,	II3
23-25	,, ,,	880
26-28	,, ,,	402
29-30	,, palustre X pratense	23
3I	,, ,, ,, ,,	655
32-33	,, ,, X tuberosus	485
I6	,, pratense	4I7
29-30	,, ,, V angustif.	27I
I2	,, ,, V polyceph.	I65
I7	,, ,, ,, ,,	36

Cirsium tuberosum 353-383
,, ,, I3I

3 Citrullus vulg. 763
25 ,, Calocynthis 876

25 Clarke. W.G. Obit. 844

3 Clarkia pul. 380

)-30 Claytonia (s) 338

)-30 ,, siberica I08-224

)-30 Clematis Vitalba I00-33I

(I7-I8) ,, ,, V integ. 7

3-25 ,, viticella 553

3-25 Clethra alnifolia 776

I3 Clinopodium vul. V diminuata 490

9-30 ,, ,, V ovata 278

-33 Clyde Flora 489

-I Cnicus acaule X tuberosum 53I
-I ,, Xs etc. 53I
6-28 ,, Benedictus 744
3Z-33,, ,, 655

-30 Cochlearia (s) 333

3-25 ,, notes 27

5 ,, X. I86

-30 ,, danica forma I02

3 ,, micacea 450

,, off. forma 552

5 Colchester Aliens 295

-25 Colchicum autumnalis 599
-I ,, ,, 67I

9 ,, ,, Var. 4I9

Comital FL. of Brit. Is. 59I

32-33 Comital Fl. of Brit. Is. 555

3I Commelina (s) 57I-84I

23-25 Conopodium majus Var. 437

29-30 ,, ,, V condensatum 270

3I ,, ,, forma 557

I6 Convallaria mag. forma rosea 429

29-30 Convolvulus arv. formas 3I

I3 ,, ,, V Stonestreetii 330

22 ,, (Ipomoea) 6I5

32-33 ,, tricolor I06

I4 Corallorrhiza innata 74
I6 ,, ,, 587
20 ,, ,, I47
32-33 ,, trifida 542

32-33 Corchorus olitorius 2I

I8 Coronilla scorp. 375

29-30 Coriandrum sativum 355

29-30 Coringia orient. (Erysimum) I03-333

29-30 Cornish Trees 320

29-30 Coronopus (s) I04

29-30 ,, didymus 335

3I Corrections 8I5

26-28 Corrigiola lit. V rubescens 3I6
I3 Corsican Flora
23-25 Corydalis formosa (Capnorchis) I66
20 ,, solida ,, II0
I5 Corylus Avelana Var. 209
23-25 Coste. Obit. 537

-30	Cotoneaster microphylla	II5
)	,, Simonsii	501
33	,, racimiflora	471
8	Cotula anthemoides	288
32-33	Cotyledon oppositif.	I2I-552
23-25	,, umb. V bracteata	572
26-28	,, ,, ,, ,,	738
I2	Crateagus (s)	25I
I5	,, ,,	I96-345
29-30	,, ,,	II5
26-28	,, Vars.	529
II	,, cuneata,etc.	92
9-30	,, heterophylla	II5
I7	,, monog. Vars	I07
3I	,, ,, forma	556
9-30	,, ,, V fissa	5I5
I2	,, ,, V glabrata	I60
29-30	,, ,, V gracilis	22
II	,, ,, V quercif.	I9
2-33	,, punctata	I02
I8	,, tanacetif.	379
3I	,, X Mespilus	556

I5 Crepis (s)

29-30 ,, ,,

23-25 ,, anglica

I5 ,, biennis
32-33 ,, ,, (in Yorks.)

I6 ,, capillaris Vars.

23-25 ,, ,, ,,

23-25 ,, ,, V glandulosa

32-33 ,, foetida V hispida

32-33 ,, ,, V vulgaris

23-25 ,, Druc@ana

W ,, mollis
8 ,, ,,
I3 ,, ,,

23-25 ,, nicaeensis

32-33 ,, oporinoides

23-25 ,, setosa
32-33 ,, ,,

22 ,, taraxif. V subindivisa

I6 Crocus (s)

I7 ,, albiflorus
23-25 ,, ,,

22 ,, biflorus

W ,, nudiflorus
I7 ,, ,,
32-33 ,, ,,

23-25 ,, vernus (albiflorus)
I5 ,, ,, ,,
32-33 ,, ,, ,,

353

I2I-358

42-579

27I
625

574

88I

43

485

485

774

448

383
476

I93-579

43

I93
439-532

6I2

504

I29
897

857

24
I29
I38

598
282
I38

3-25	Cryptostemma Calendula	I9I
3-25	Cucubulus baccifer	377
3-25	Culben Sands. Notes	253
-33	Curiosites of Plant Life.	607
20	Cuscuta epilinum	I37
-25	,, ,,	397
-28	,, ,,	748
-30	,, ,,	362-5I8
-33	,, ,,	534
-25	,, sauveolens	585
-28	,, ,,	748
-33	Cyclamen hederif.	I25
	Cynodon Dactylon	I34
25	,, ,,	904
I9	Cynosurus crist. forma cuprea	689
-25	,, ,, Forma ramosa	79I
-30	,, echinatus	I45-377-53I
6-28	,, echinatus V purpurescens	37
[illegible]	,, ,, ,, ,,	

32-33 Cyperus ~~difformis~~ difformis 37
29-30 ,, fuscus I4I
29-30 ,, longus I40-240-374
29-30 Cyprus Flora. 469
I5 ,, Notes. 232
29-30 Cystitus scoparius forma 340
I8 Cystopteris Dickieana 3I7
29-30 ,, Filex-frag. (C.fragilis) I47
I7 ,, ~~fragilis~~ fragilis V sempervirens 63
I7 ,, montana I37
29-30 ,, regia 287

)-30	Dactylis glom. forma	I45
2-33	Dagenham Dumps	628
9-30	Damasonium Dam.	373
,,	Daphne Mez.	I36
,,	Daucus Carota forma	I45
3-25	~~fix~~,, ,, forma nanus	574
I0	,, ,, V ciliatus	503
I7	,, ,, V comosus	3I
)-30	,, gum. V genuina	229
,,	,, ,, V intermedium	229
2-33	,, ,, V villosa	47I
I5	Davy. Obit.	25I
3I	Delphinium Ajacis	634
I3	Derbyshire Flora	360
I6	Derwentwater notes on aquatic pts.	5I5
)-30	Deschampsia caespitosa V montana	377
,,	,, flex. V montana	377
2-33	,, ,, ,, ,,	549
I3	,, setacea	509
I7	,, ,,	I34
3-25	Desmazeria loliacea forma	79I
2-33	Devon. (Holiday in N.)	567
I4	Deyeuzia neglecta	I72
I5	,, ,,	287
2I	,, ,,	584
-25	,, ,,	904
7	,, ,, V borealis	55-I33-256

29-30 Dianthus Deltoides 337
I8 Digàtalis purp. V pubescens 297
23-25 Diplotaxis catholica 28
29-30 ,, muralis 334
3I ,, ,, V intermedia 553
32-33 ,, tenuif. V integràfolia I59
I4 Diotis marit. 68
2I ,, ,, 385
8 Desiderata 348
22 Dondia (Sueda) V. flexilis 745
29-30 ,, ,, fruiticosa 368
26-28 Donegal Notes. 427
23-25 Dorychium rect. 33-435-7I4-1037
29-30 Draba Aizoides V montana I9
I6 ,, incana V confusa 47I
2I ,, ,, ,, ,, 37I
I0 ,, ,, V gracilis 495
29-30 ,, ,, V nana I9
,, ,, muralis 333
I4 ,, rupestris Vs. 8
29-30 ,, ,, V bracheata I9
,, ,, ,, V leiocarpa I9
32-33 Drabble. Obit. 508
I8 Dracocephalum 394
I9 ,, 673
23-25 ,, 206-590

32-33 Drusera ang. X rotundif. 527
,, intermedia 828
-30 ,, rotundif. 353
[Druce. Obit. 549
, ,, Publications. 804
-30 Dryas octopetala forms 227
,, Dryopteris Felix-Mas V linearis 379
,, ,, Aemula 379
19 Dubious Pts. of Gt Britain 731
21 Dublin Aliens 406
-28 Du Bois Herbarium 463
-25 Duplicated Binomials 685

32-33	Echinochloa crus-pav.	37
I7	Echium italicum V pyramidale	39
29-30	,, plantagineum	I27
29-30	,, vulgare V postulatum	276
3I	Edinboro Bot. So.	582
23-25	Egypt & Palestine Tour	466
22	Elatine hex. V sessilis	72I
29-30	,, Hydropiper	338
29-30	Eleocharis acicularis	I4I-24I
23-25	,, pal. Key.	788
I6	,, ,, V arenaria	2I5
II	,, uniglumis	I32
I4	,, ,,	76-I66
20	,, ,,	I53
23-25	,, ,,	600
29-30	,, ,,	528
32-33	,, ,,	547
I5	Elisma natans	I3I-284
I6	,, ,,	506
23-25	,, ,,	2I7-900
3I	,, ,,	672
32-33	,, ,,	III
29-30	Ellman. Rev.E Obit.	89

23-25	Elodea canadensis	963
29-30	Elymus europ.	379
23-25	,, sibericus	604-907
I9	Emex	678
29-30	Empetrum hermaphroditum	280
32-33	,, ,,	542
I5	Epilobium (s)	266
I6	,, ,,	486-569
I7	,, ,,	I07
29-30	,, ,,	II6-353
3I	,, ,,	828
32-33	,, ,,	436
5	,, Xs	I7I
II	,, ,,	94
I5	,, ,,	349
26-28	,, ,,	397
23-25	,, X ambigens	996
I8	,, X Aschersonium	284
29-30	,, hirsutum V villosissimum	5I5
23-25	,, ,, ,, ,, etc.	875
I5	,, ,, X palustre	I98
23-25	,, Lamyi	572
29-30	,, montanum forma	22
23-25	,, obscurum V strictif.	389
I2	,, pal. V pubescens	I64
29-30	,, roseum	5I5

32-33	Epipactis (Helleborine) (s)	487-543
20	,, notes	45
W	,, ,,	258
2I	,, Vs.	308
I8	,, atropurp. V Crowtheri	400
2I	,, leptochila	308
I0	,, media	597
23-25	Epipogum	330-435
9	Equisetum (s)	484
I6	,, ,,	5I0
29-30	,, ,,	I47-244
W	,, arenarium	29-267
8	,, arv. V nemorosum	406
2I	,, ,, ,, ,, 585 XXXX	xxx xxxx
W	,, hyemale	29
I5	,, ,,	288
22	,, littoralis	755
20	,, ,, X arv.	I6I
29-30	,, maximum	379
29-30	,, occidentale	42
23-25	,, palustre V longiramosum	907-I072
3I	,, ,, V simulans	573-846
32-33	,, syl. V serotinum	I63
29-30	,, ,, ,, ,,	379
I2	,, variegatum	I30

26-28	Erica (s)	746
29-30	,, ,,	360
32-33	,, cin. V schizopetala	I06
22	,, ,, V splendens	736
29-30	,, ,, V Rendlei	23I
5	,, lusitanica	I47
8	,, ,,	389
W	,, Mackayi	450
I2	,, ,, X Tetralix (Praegeri)	I67
I2	,, schizopetala	I67
20	,, ,,	I34
29-30	,, Tetralix Var.	30
3I	,, ,, forma latifolia	597
23-25	,, ,, V fissa	884
26-28	,, ,, ,, ,,	407
29-30	,, ,, ,, ,,	274
32-33	,, vagans (forms)	477
22	,, ,, V Kevernensis	6I4
23-25	,, ,, ,, ,,	776
29-30	,, ,, ,, ,,	I25
29-30	,, ,, V parvif.	30
26-28	Erigeron X.	II7
I3	,, Vars.	472
23-25	,, Aliens	575
II	,, acre X canadensis	98
I8	,, ,, V.	285
23-25	Erinus	203-887
29-30		

29-30	Eriophorum(s)		I4I
3I	,, ,,		674
9-30	,, alpinum etc.		284
3I	,, angustif.	572	~~562~~
3-25	,, ,, V brevisetum		789
3	,, ,, V elatius		40I
	,, ,, V triq.		II6
0	Erodium (s)		I7
2	,, ,,		722
-25	,, ,,		869
-30	,, ,,		339
3I	,, ,,		640
-25	,, notes & Key		957
9	,, Aliens		645
7	,, Var.		2I5
	,, cicutarium V glandulosum		443
9-30	,, ,, V neglectum		I09
4	,, ,, V pimpinellaefolium		I34
9-30	,, ,, ,, ,,		225
-25	,, Lebelii		I76
	,, moschatum V minor		389
6-28	,, ,, ,, ,,		689

I3	Erophila (s)	449
I4	,, ,,	II8
I5	,, ,,	3I5
I6	,, ,,	557
29-30	,, ,,	I77-22I
3I	,, ,,	635
I4	,, notes	89
W	,, ,,	430-466
26-28	,, Vars.	608
3I	,, Boerhaavii V Fraseri	552
3I	,, ,, V muriculo	820
29-30	,, majuscula	333
26-28	,, oedocarpa	20
29-30	,, praecox V microcarpa	I9
22	,, serrata	826
29-30	,, verna forma	508
23-25	Eruca	863
29-30	,, Vars,	I9
3I	,, Eruca V eriocarpa	536-553
23-25	,, sativa	557
22	Eryngium camp.	728
23-25	,, ,,	876
29-30	,, ,,	II7-354
23-25	,, planum	I85

29-30	Erysimum Cheiranthoides	103-508
29-30	,, ochroleucum X Perof.	19
23-25	,, repandum	168-556-862
21	,, ,,	372
18	Erythrea (Centaurium) portensis	290
22	,, pulchella V pal.	615
3-25	,, ,, (type)	583
3-25	,, Centaurium V ellipticum	583
21	,, subelongatus	570
/	Euclidium	9
29-30	Eupatorium cannabi. V subinteger	118
16	Euphorbia (s)	428-586
17	,, ,,	127-246
30	,, ,,	239
30	,, amagdal. forma	369
25	,, ceratocarpa	998
8	,, Cyperissias	~~391~~ 397
9	,, ,,	469
0	,, ,,	~~xxxxx~~ 591
11	,, ,,	120
4	,, ,,	74
5	,, ,,	279
8	,, ,,	398
9	,, ,,	678
21	,, ,,	576
3-25	,, ,,	210
26-28	,, ,,	417

3I	Euphorbia Cyperissias (cont)		667
W	,,	,,	253-553
I2	,,	dulcis	283
29-30	,,	Esula	36
29-30	,,	exigua V retusa	369
32-33	,,	peplioides	48I
29-30	,,	virgata	I36
23-25	Euphrasia	(Norwegian Key)	778
I2	,,	(s)	272
I5	,,	,,	360
I6	,,	,,	423
I7	,,	,,	235
29-30	,,	,,	32-I29-234-276-363-5I9
3I	,,	,,	662-836
32-33	,,	,,	442-536-766
23-25	,,	Notes on Brit.	909
I6	,,	,,	579
32-33	,,	anglica X	486
23-25	,,	atroviolacea	49
I9	,,	confusa	572
22	,,	,, Var.	6I7
I2	,,	fennica	I69
32-33	,,	frigida (latifolia)	485
32-33	,,	,, V laxa	485
I9	,,	hirtella	57I
32-33	,,	micrantha V Johnstonii	485
8	,,	minima	334
2I	,,	septentrionalis	298
I2	,,	suecica	I69
23-25	,,	variabilis	50
32-33	Evonymous europ.	V latifolia	752
3I	,,	,, V leucocarpus	640
26-28	,,	,, ,, ,,	2I-II0
I2	,,	forma	243
I5	,,	,, repens	I92
I3	Ewing.	Obit.	378

23-25	Fagopyrum tatar.	594
32-33	Falcaria vulg.	528
I2	Fagus heterophy.	I79
26-28	Fawcett. Obit.	90
I5	Festuca (s)	387
I7	,, ,,	✱ I35
23-25	,, ,,	49I-905
26-28	,, ,,	I42-~~I85x~~ I75-424
29-30	,, ,,	I46-242
3I	,, ,,	678
32-33	,, ,,	II5
23-25	,, dumetorum	I07I
I0	,, firmula	5II
8	,, heterophy.	405
26-28	,, juncif.	I42
23-25	,, ovina Key	792
I2	,, ,, forma	~~x8x9~~ 297
2I	,, ,, (viviparous)	4I8
W	,, rigáda V umbrosa	5I5
20	,, rubra (notes)	56
23-25	,, ,, ,,	49I
29-30	,, ,, Var.	53I
I8	,, X (Schlickumi)	3I5

I2	Filago axillaris	I64
20	,, gallica	I28
W	,, ,,	54I
29-30	,, germanica	5I6
29-30	,, minima	5I6
26-28	Foula Is. Flora	838
26-28	Fragaria (s)	735
I5	,, moschata	264
I6	,, ,,	483
I7	,, ,,	I05
23-25	,, ,,	872
29-30	,, vesca V albescens	II4
29-30	Fraxinus excelsior	30- 232
I7	,, ,, V diversif.	II6
II	,, heterophylla	I08
I8	,, ornus	387
29-30	Fritillaria Meleagris	I39
I2	Fryer. Obit.	I95

12	Fumaria. Notes with Pugsleys Key.	151
5	,, (s)	153
8	,, ,,	359
13	,, ,,	448
14	,, ,,	60
15	,, ,,	313
17	,, ,,	208
29-30	,, ,,	102-221- 333
32-33	,, ,,	427-820
29-30	,, capreolata V Bab.	308
9	,, densif. X Vaillantii	412
29-30	,, micrantha	308
31	,, purpurea	634
W	,, Vaillantii	7
31	Fungi. Review.	587-589
29-30	Further Illust. of Brit. Pts.	291

32-33	Gagea lutea	544
29-30	Galanthus nivalis	372
I2	Galeopsis (s)	277
29-30	,, ,,	I32- 236
I8	,, dubia	394
29-30	,, speciosa	367
32-33	,, Tetra. V bifida	I08
29-30	Galium sega parviflora	I II9-356
I5	,, Var. Adenophora	200
I6	,, ,, "	490
I7	,, ,, "	228
I8	,, ,, 5	287
26-28	,, ,, V. adenophora	400
8	Galium (s)	378
I6	,, ,,	572
I7	,, ,,	II0
23-25	,, ,,	39I-877
29-30	,, ,,	229-355-5I6
3I	,, ,,	653
32-33	,, ,,	529-763
8	,, Xs	377
I3	,, ,,	47I
I7	,, ,,	32- 227

I5	Galium anglicum	350
3I	,, ,,	830
W	,, asperum	237
I2	,, Bakeri	257
W	,, ,,	497
23-25	,, ,,	725
23-25	,, boreale V diffusum	774
26-28	,, ,, V stenophyllum	II6
23-25	,, debile	438
26-28	,, ,,	740
29-30	,, erectum	II8
8	,, ,, X verum	332
W	,, ,, ,, ,,	236
23-25	,, ,, ,, ,,	725
I2	,, insubericum	256
20	,, Mollugo X verum	I26
I6	,, ,, ,, ,,	382
22	,, ,, ,, ,,	842
8	,, palustre V elongatum	378
23-25	,, ,, ,, ,,	725
5	,, ,, V gracile	I47
I6	,, ,, V serrulatum	503
I5	,, saxatile V alpinum	I98
[illegible]	,, Vaillantii	459
W. I7-I8	,, verum V marit.	64
31	Gardeners Chron. (Review)	806
3I	Gardening, List of (,,)	579
23-25	Gaudenia	603
23-25	Gazania	997

32-33	Genista elatior	554-824
23-25	,, hispanica	32
I3	Gentiana (s)	484
I0	,, ,,	520 521
29-30	,, ,,	I26
3I	,, ,,	660
I9	,, acaulis	667
29-30	,, Amarella	232
I4	,, ,, V calycina	70
20	,, ,, ,, ,,	I35
29-30	,, campestris	36I-5I8
29-30	,, germanica	5I8
I5	,, Pamplinii	357
W	,, preacox	30I
26-28	,, septentrionalis	I24-3II-579
23-25	,, ,,	396- 882 885
2I	,, ,,	570
23-25	,, suecica	45
26-28	,, ,,	408
I7	,, verna V alba	38

29-30	Geranium (s)	I09-339
3I	,, ,,	640
20	,, celticum	II7
2I	,, ,,	553
23-25	,, ,,	564
I8	,, divaricatum	373
I0	,, Endressi	499
20	,, ,,	II7
2I	,, ,,	376
22	,, ,,	722
23-25	,, ,,	I75-869
29-30	,, ,, V Armitagae	20
23-25	,, lancastriense	I75
23-25	,, macrorrhizum	I75
22	,, molle V aequale	722
26-28	,, ,, ,, ,,	529
32-33	,, ,, ,, ,,	522
23-25	,, pratense V semiplenum	766
8	,, ,, X Robert.	332
I9	,, purpureum notes	724
23-25	,, ,, ,,	869
29-30	,, ,,	5II
I7	,, pusillum V condensatum	I7
23-25	,, ,, forma album	I036
I5	,, Robert. forma	I9I
23-25	,, ,, V hispidum	I75
29-30	,, rotundif.	5II
I9	,, ,, V Thurstonii	55I
29-30	,, sanguineum	225
20	,, ,, X lancastriense	I7
W	,, straitum	83
I6	,, versicolor	478

29-30	Geum intermedium	II4
I0	,, rivale V pallidum	500
32-33	Gilia squarosa	533
32-33	Glamorgan Flora	686
26-28	,, Plants	455
32-33	,, ,,	666
I9	Glasgow Aliens	7I9
2I	,, ,,	405
I9	Glecoma hederacea (Nepeta) notes	695
29-30	Glaucium Glaucium formas	I0I
I6	Glyceria (s)	43I- 595
I7	,, ,,	258
29-30	,, ,,	I45
3I	,, ,,	678
I5	,, distans V prostrata	387
32-33	,, ,, ,, ,,	779
W	,, ,, V pulvinata	367- 378
W	,, festucaformis	27- 66
5	,, ,,	I8x I89
I8	,, marit. Vars.	3I5
I7	,, ,, notes	57
23-25	,, procumbens V vegeta	792
32-33	,, retroflexa	I63
23-25	Glycine Soja	568- 87I

I3	Gnaphalium lutea-album	473
32-33	,, norvegicum	II7
I5	,, sylvaticum V alp.	200
I6	,, ,, ,, ,,	572
I6	Goodyer Biography	523
32-33	Gossypium punctatus	468
3I	Grasses. Brit, (Review)	594
32-33	,, Study of,	63I
29-30	,, The Worlds,	46
26-28	Greenland Flora	356
I8	Grindelia squarosa	382
23-25	,, ,,	574
I3	Groves. Henry, Obit.	376
23-25	Gynandropis pentaphylla	765
I8	Gypsophila	37I
3I	,, elegans	638

G7

29-30	Habenaria ~~Xx~~ (s) hybrid	138-371
31	,, ,,	670
10	,, hybrid Xs.	508
26-28	,, ,,	789
15	,, albida (etc)	282
20	,, ,, ,,	149
21	,, ,,	579
22	,, ,,	749
29-30	,, conopsea	240
23-25	,, densif. (etc)	598
29-30	,, Gymnadenia Vars. albiflora Hwacker v Druce.	138
16	,, odoratissima	428
26-28	,, viride V Viallantii	420
26-28	Hackel. Obit.	93
32-33	Hampshire Comital Flora	559
29-30	,, Flora (additions)	73
32-33	Hants. Bot. Tour.	220
19	Harbury. Warwickshire Plants.	721
15	Hawes-Water notes. (Aquatic)	294
29-30	Hedera helix Vars.	118
12	,, ,, V borealis	162
13	,, ,, ,, ,,	471
15	,, ,, ,, ,,	350
17	,, ,, ,, ,,	109
29-30	,, ,, ,, ,,	355
31	,, ,, ,, ,,	653
16	,, ,, V sarniensis	571
12	,, ,, ,, ,,	163
29-30	,, ,, V undulatiforme	270

2 29R.138

	Helexine	
23-25	~~Helixine~~ Sol.	2II-595
29-30	,, ,,	I36
I8	Helianthemum Breweri	370
I9	,, ,,	594
I3	,, canum X Chamaec.	309
29-30	,, polifolium	508
I8	Helianthus Xs.	286
23-25	Helichrysum Stoechas	878
9	Helleborine (s) (Epipactis)	4I8
3I	,, ,,	668
I6	,, ,,	503
I0	,, X.	508
23-25	,, leptochila	596-74I
29-30	,, ,,	370
29-30	,, purpurata	I37
23-25	,, viride forma guttatus	763
I3	,, viridiflora	336
29-30	Helleborus foetidus	I0I-332
I6	Helosciadium notes. (Apium)	409
32-33	Helpful Books.	228
32-33	Hemizonia Kelloggii	22
I9	,, pungens	660
20	,, ,,	I29
2I	,, ,,	385
23-25	,, ,,	576-728
29-30	Heracleum Sphon.	334
29-30	,, ,, V angustifolium	II8
22	Herbaria Notes by Druce.	756

20	Hernaria hirsuta	I43
32-33	,, ,,	539
I4	,, ciliata V angustif.	I9
29-30	Hesperis Matronalis	I03-222
3I	,, ,,	636
29-30	Hibiscus Trionum	339
W	Hieracium (s)	(in every No.)
5	,, ,,	I74
8	,, ,,	384
9	,, ,,	46I
I3	,, ,,	477
I4	,, ,,	I50
I5	,, ,,	354
I6	,, ,,	492-575
I7	,, ,,	II4
23-25	,, ,,	774
29-30	,, ,,	24-I22-230-27I-358-5I7
3I	,, ,,	559-655-83I
32-33	,, ,,	472-765
32-33	,, ,, (New)	23-439
I5	Hierochloa	383
3I	,, borealis	676
I2	Hilton. Obit.	204
29-30	Hippuris vulg.	II6
3I	Hitchen Botany	375
29-30	Holcus lanatus	53I
29-30	,, ,, V albovirens	377
20	,, ,, V diffusa	55
I5	,, mollis V biaristatus	2I7
I7	,, ,, ,, ,,	I34
I8	,, ,, ,, ,,	3I2
29-30	,, ,, V minuta	286
23-25	,, ,, V parvif.	4II

32-33 Hordeum compressum 41

31 ,, Jubatum 846

23-25 ,, marinum V Gussoneanum 998

29-30 ,, nodosum 244

22 ,, ,, V brevisubulatum 638
23-25 ,, ,, ,, ,, 907

31 Horticultural Journal (Review) 603

23-25 Hosackia americana 566

29-30 Humulus Lupulus 136

18 Hunnybun. Obit. 346

23-25 Huntington Plants. 949

31 Hyacinthus comosus 671

31 ,, Romanus 571

14 Hydrilla verticillata 22-167
29-30 ,, ,, 37
32-33 ,, ,, 482- 772

23-25 Hydrochaeris 963

31 ,, Morsus-ranae 571

23-25 Hyoscyamus albus 1055

32-33 Hyocyamus muticus 766

9 ,, niger V pallidus 416

12 Hypecoum pendula 228

,, ,, 637

12 Hypecoum pendula 228

19 ,, ,, 637

29-30	Hypericum (s)	108-338
11	,, androsaemifolium	78 ~~xxxxxx~~
W(17-18)	,, Desegtangsii	55
13	,, ,,	311
20	,, ,,	116
21	,, ,,	376
23-25	,, ,,	563-~~xxx~~ 868
29-30	,, ,,	224
17	,, ,, V punctatum	17
29-30	,, elatum	510
23-25	,, elodes (glabrous forma)	435
23-25	,, ,, Var.	1036
29-30	,, hirsinum	510
15	,, humifusum V ambiguum	190
17	,, ,, ,, ,,	100
26-28	,, ,, ,, ,,	391
15	,, linearifolium	259
32-33	,, montanum V scabrum	431
23-25	,, perfoliatum X quad.	434
10	,, Xs.	499
23-25	Hypochaeris erostis	580
16	,, glabra V Balb.	493
13	,, maculata	389-480
17	,, radicata V leiocephala	114
29-30	Hypopitys Hyp.	125

N. description

I5 Iberis amara V arvatica I87
I9 ,, ,, V decipiens 549
W ,, ,, V ruficaulis 432

23-25 ,, odorata 29

I9 ,, umbellata 64I

23-25 Ilex aquif. V laurif. 870
29-30 ,, ,, ,, ,, I09

20 Illecebrum ~~xxxxxxxxx~~ verticiliatam I43
23-25 ,, ,, I062

29-30 Illustrations of Brit. Pts. 29I

3I ~~xxxx~~ Impatiens (s) 640

29-30 ,, glandulifera ~~xxx~~ I09-340

9 ,, ,, V macrochila 4I4

I2 ,, Noli-tangere 242
29-30 ,, ,, ,, 339
I5 ,, ,, ,, 260

29-30 ,, parvif. 225-339-5II

I7 Inula brit. II0

29-30 ,, Helenium II9-356
32-33 ,, ,, I03

23-25 ,, viscosa 726

23-25 Iris, citrina 2I5-598
29-30 ,, foetida V citrina 280

23-25 Irish Plants (Erica & Glyceria only) 445
3I ,, Flora ✝ (Review) 575

29-30 Isatis tinct. 304-335

29-30 Isoetis echinospora 244
W ,, lacustris V longifolia 368

3I Isle of Wight Aliens ~~xxxxx~~ 758
32-33 ,, ,, ,, Comital Flora 559
3I / ,, ,, ,, Flora 734

23-25 Iva xanthefolia 878

32-33 Ivel Botany 375-637

23-25	Jasione montana forma laevis	833
29-30	,, ,, Var.	125
17	,, perennis	37
23-25	Jersey Excursion. Druce & Miss Vachel	245
23-25	John OGroats to Lands End.	939
26-28	Johnston. Sir Harry, Obit.	378
31	Journal of Botany (Review)	607
29-30	Juncoides (s) (Luzula)	139
15	Juncus (s)	283-375
16	,, ,,	505-590
29-30	,, ,,	134-240-281-378-526
31	,, ,,	671
32-33	,, ,,	544
23-25	,, Notes.	899
31	,, alpinus forms	769
13	,, balticus	394-499
23-25	,, ,,	407
15	,, ,, V pseudo-inundatus	214
29-30	,, bicornis (tenuis)	373
14	,, bufonius V fasciculatus	165
13	,, ,, V ranarius	395
12	,, bulbosus V Kochii	289
31	,, castaneus	842
8	,, compressus	398
9	,, ,,	475

I2	Juncus (cont.)	conglom. V laxus	288
32-33	,,	,, V subuliflora	43
23-25	,,	,, forma	455
I4	,,	filiformis	I64
26-28	,,	Gerardi V repens	639
20	,,	,, V gracilis	49
IO	,,	,, V salsaginosus	508
W(I6-I7).	,,	,, V sorantha	35
23-25	,,	inflexus forma	407
3I	,,	Macer (tenuis)	84I
26-28	,,	maritimus V conjestus	639
I4	,,	,, V atlandicus	27-I63
W	,,	,, ,, ,,,	460-5IO
32-33	,,	nodulosus ? Var.	30
II	,,	ranarius	35
I2	,,	,,	290
29-30	,,	tenuis	40
W	Juniperus	interm.	362

32-33 Kent Orchids 629

26-28 Kentranthus ruber Var. 307

2I Ken Wood Flora 454

23-25 ,, ,, ,, 697

3I Kerry. 786

I6 ,, Flora 5I9

I7 ,, ,, 64

3I Kintyre Flora. (Review) 6I4

26-28 Kobresia bipart. I38

23-25 Kochia scop. 209

5 Koeleria (s) I44

29-30 ,, ,, I45-378

32-33 ,, Notes 37

I8 ,, advena 3I3

32-33 ,, brit. 649

32-33 ,, ,, xxxx forma glabrafolia 779

23-25 Laburnum alp. & anagyriodes 177

29-30 Lactuca (s) 360

32-33 ,, alpina 532

31 ,, macrophylla 832

17 ,, Plumeiri 37

29-30 ,, saligna 231-~~xxx~~517

17 ,, ,, V Cracoviensis 37

32-33 ,, tatarica 27

31 Lagurus ovatus 677

29-30 Lamium (s) 132-236

23-25 ,, X. 53

29-30 ,, album 521

31 ~~32x33~~ ,, ,, V erubescens 597

29-30 ,, Galeobdolon 521

32-33 ,, ,, V puberulum 765

W ,, interm. 111

W ,, laevigatum 355-378

21 ,, moluccellifolium 574

~~xxx~~ 15 Lancaster Flora ~~xxx~~ 290

31 Lappula. (Note) 568

29-30 ,, Lap. 127-362

9 Lapsana com. V pubescens ~~x~~ 415

21 Lapsana com. V pubescens 566

32-33 ,, ,, ,, ,, 532

29-30 Lathraea Squam. 365

23-25 Lathyrus (s) 87I
29-30 ,, ,, III- 342
23-25 ,, Aliens 568
W ,, Aphaca V affinis 532
26-28 ,, hirsutus 734
I8 ,, inconspic. 376
26-28 ,, montanus V obtusifolius 6I4
23-25 ,, ,, V variif. 769
29-30 ,, Nissolia 5I2
22 ,, odoratus 725
26-28 ,, prat. Var. 6I4
I7 ,, sylv. V latifolia I04
26-28 ,, ,, V oblongus 6I4
29-30 ,, tuberosus 5I2
3I ,, ,, 555
6-28 Lautaret. Le, (Plants of) I45
29-30 Lavatera arborea 339
2I ,, cretica 376
23-25 ,, ,, I74
22 ,, punctata 72I
I9 ,, Thuringiace 645
23-25 ,, ,, 563
23-25 ,, trimestris I74
29-30 Ledum groenlandicum 36I-5I7
2I Lees. F. Arnold, Obit. 358

32-33	Leicester Flora	493
26-28	,, Plants	325
29-30	Lemna (s)	373
29-30	,, trisulca	I40
29-30	Leontodon hispidus Vars.	I23
I2	,, ,, V glab.	I65
29-30	,, nudicaule V lasioleana	5I7
I7	Leonurus Cardiaca V hirtus	49
22	,, ,, ,, ,,	852
32-33	Lepidephalus alpina	22
32-33	,, syriacus	529
I8	Lepidium (s)	369
23-25	,, ,,	558-864
29-30	,, ,,	I04-335
3I	,, ,,	637
9	,, camp. V longistylum	437
20	,, Draba Vars.	II2
3I	,, lasiocarpa V Georginum	553
29-30	,, ramosiss. V robustum	20
29-30	,, ruderale	222
I7	,, Smithii V alatos.	97
I8	,, spicatum	278
26-28	Leptaxis Menziesii	737
W	Lepturus incurv.	209
I9	,, ,,	691
23-25	,, ,,	224
26-28	,, ,,	284
32-33	,, incurvus	II6

Remove

70-69

23-25 Linaria minor (freak) 48

23-25 ,, pallida 447-731

20 ,, Pelisseriana 138
26-28 ,, ,, 33

29-30 ,, purpurea 363

12 ,, ,, X repens 270

23-25 ,, repens X supina 998

23-25 ,, rubrif. 586

32-33 ,, Sieberi 471

26-28 ,, vulg. V ecalcarata 33

26-28 ,, ,, V latif. 531

26-28 ,, ,, X. 580

11 ,, ,, V prostrata 26

18 ,, ,, V subgland. 296

26-28 Lindman. Obit. 705

15 Linnaea borealis 268-350

26-28 Linton. E.F. Obit. 708

8 ,, W.R. ,, 344

29-30 Linum anglicum 339

17 ,, cathart. V dunense 17-215

23-25 Lippia nodiflora 779

29-30 Listera cordata 137~~x362~~ 369
32-33 ,, ,, ~~x832x~~ 223

8 Lithospermum off.V pseudo-latif. 390
15 ,, ,, ,, ,, ,, 358
22 ,, ,, ,, ,,,, 738

W ,, purpureum-coerlu. 57-348-546
17 ,, ,, ,, 233
32-33 ,, ,, ,, 534

2I	Leucojam pulchellum	3I7
W	,, vernum	555
I4	,, ,,	75-I63
3I	,, ,,	670
23-25	Leycesteria formosa	877
29-30	,, ,,	II8
I9	Ligusticum scoticum	657
23-25	,, ,,	876
29-30	Ligustrum vulg. V aureum	5I8
29-30	Lilac. (Monograph)	69
I6	LiLium pyreniacum	505
29-30	,, ,,	I39-526
I9	Limnanthes Douglasii	646
23-25	,, ,,	I76
I7	Limonium (s)	II6
29-30	,, binervosum	5I7
29-30	,, humile	36I
29-30	,, lychnif.	23I
I6	,, lychnif. V corymb.	494
32-33	,, paradorum	I62
23-25	,, transwalliana	445
29-30	,, ,,	36I
9	,, vulg. V pyramid.	466
29-30	Limosella aquatica	363
I6	Linaria (s)	496
I7	,, ,,	II8
29-30	,, ,,	I28
I4	,, arenaria	70
26-28	,, bipart.	749
23-25	,, cymbal. V alba	202
26-28	,, ,, V pallidor	580
29-30	,, Lin. X repens	363

29-30 Littoralis unif. 237

32-33 Liverpool Botany 490

20 Lobelia urens I34
23-25 ,, ,, 883
29-30 ~~xxxxx~~ ,, ,, 23I

32-33 Local Floras 399

I8 Lolium linicola 409

29-30 ,, multiflorum 532

I5 ,, perenne V angustif. 2I8

29-30 ,, temulentum I46

I2 ,, ,, V arvense 299

I8 Lonas inodora 287

26-28 London Aliens 444

32-33 Lonicera Periclym. V quercifolia 529

I7 Lotus (s) 2I7
29-30 ,, ,, 259-34I-5I3

I5 ,, angustissimus X (Davyae) I94

26-28 ,, corniculatus V arvensis, etc. 304
I8 ,, ,, Vars incanus & tenuif. 375
~~xx~~ I3 ,, ,, V crassif. 465

I9 ,, hispidus V major 554
26-28 ,, ,, ,, ,, 733
26-28 ,, ,, V sauveolens 304

23-25 ,, siliquosus 566-7I2
29-30 ,, ,, II0-226-34I

23-25 ,, tenuis Vars. 767
I5 ,, ,, (2Vars) I93
26-28 ,, ,, V sabilicola 393

I4 ,, uliginosus. Var. I36

26-28 ,, ,, V transiens 22

21 Ludvigia pal. 382
17 ,, ,, 107-225

23-25 Lupinus angustif. 564

19 ,, polyphyllus 553

32-33 Luzula albida 453-545

22 ,, arcuata 750

32-33 ,, Borreri (X) 772

W ,, Forsteri X vernalis 25

23-25 ,, nemorosa V rubellum 600

19 ,, niveum 683

18 ,, pallescens 338

20 ,, pilosa X Fosteri 151
23-25 ,, ,, ,, ,, 600

29-30 ,, sylvaticum V latifolium 526

16 Lychnis (s) 405

29-30 ,, ,, 337

8 ,, alba X dioica 363
23-25 ,, ,, forma (green flowers) 172
23-25 ,, ,, V rosea 765

16 ,, dioica X alba 476

14 ,, ,, Var. 63

26-28 ,, Githago V nicaeensis 529

11 ,, Preslii (X) 13
12 ,, ,, ,, 235
23-25 ,, ,, ,, 377
29-30 ,, ,, ,, 107

15 Lycopodium annotinum V latifolium 223

15 ,, complanatum (Notes) 219

29-30 Lycopus eur. V glabrescens 131-366
29-30 Lysimachia (s) 126
31 Lysimachia (s) 659

23-25 ,, punctata 884

29-30 ,, thyrsiflora 361

23-25 ,, vulg. V maculata 396
18 ,, ,, ,, ,, 290

23-25 Lythrum Hyssopif. 184-389-572
20 ,, ,, 124
21 ,, ,, 382
26-28 ,, ,, 115
31 ,, ,, (?) 652

23-25 ,, meonanthum 184-875

23-25 ,, Salicaria V alternatifolium 436

I8	Madia sativa	383
I9	,, ,,	660
23-25	,, ,,	576
26-28	Majorca Is. Notes	55I
I6	Malva (s)	477
I7	,, ,,	I00
I8	,, ,,	373
23-25	,, ,,	563-868
26-28	,, ,,	39I
29-30	,, ,,	I08-339-5II
3I	,, ,,	639
32-33	,, ,,	52I
I2	,, acutiloba	240
23-25	,, ,,	I74.
23-25	,, ambigua	996
23-25	,, moschata V laciniata	379
32-33	,, neglecta X parvif.	2I
I5	,, nicaeensis	259
29-30	,, ,,	224
20	,, parvif.	I6
I8	,, ,, V microcarpa	280
20	,, pusilla	I6
I8	,, rotundif. V brachypetala	280
I2	,, sylv. V angustiloba	I56
23-25	,, ,, V lasiocarpa	563
29-30	,, ,, V violascens	20
3I	,, ,, forma caerulescens	554
29-30	Marrubium vulg.	I32
I9	Marshall. Obit.	6I9

26-28	Mathiola bicornis	723
29-30	,, incana	I02
23-25	,, Oxyceras	26
I8	,, tristis	367
I8	Matricaria decipiens	384
26-28	,, ,,	743
29-30	,, ,,	5I7
2I	,, phaeocephala	564
22	,, sauveolens V occid.	73I
29-30	Meconopsis cambrica	I0I
I7	Medicago (s)	I02
I8	,, ,,	374
23-25	,, ,,	I77-870
26-28	,, ,,	2I
29-30	,, ,,	II0-340
3I	,, ,,	640
29-30	,, Aliens	259
29-30	,, arabica	225
32-33	,, Falcata	393
29-30	,, ,, V tenuifoliata	5I2
3I	,, hispida	825
2I	,, ,, V confinis	553
I4	,, lupilina formas	I35
I5	,, ,, V eriocarpa	335
26-28	,, ,, V integristupula	6II
26-28	,, ,, forma umbellata	6II
20	,, ,, V unguiculata	II9

29-30 Medicago minima 512

I9 ,, ,, V longiseta 648

I0 ,, ,, V mollissisima 499

22 ,, ,, V recta 723

23-25 ,, murex 767

32-33 ,, orbicularis 93

32-33 ,, sativa 393

I4 ,, sylv. V procumbens I35

26-28 ,, trunculata II0

8 ,, Willdenowiana 352

I3 Melampyrum (s) 487
I5 ,, ,, 206
I7 ,, ,, 40-66
I2 ,, ,, I69
29-30 ,, ,, 32
32-33 ,, ,, I63

26-28 ,, prat. V laurif. 582

29-30 ,, ,, V hians I30

32-33 ,, ,, V paludosum 443

9 ,, ,, V purpureum 467
I3 ,, ,, ,, ,, 330

I9 ,, ,, V scotianum 67I

I3 ,, sylvaticum 330

29-30 Melilotus (s) 340
3I ,, ,, 825
I0 ,, Vars. 500

3I ,, arv. V unguiculata 554

29-30 ,, indica II0

23-25 ,, ,, V Thommasini 767

I7 ,, sicula I03

23-25 ,, sulcata 870

29-30 Melissa officinalis I3I

W Melittis Melissophyllum V grandiflora 306

29-30 Melvill. Cosmo, Obit. 94

23-25 Members. List of, 5
26-28 ,, ,, ,, 5
29-30 ,, ,, ,, 5
32-33 ,, ,, ,, 5

5 Mentha (s) I8I
8 ,, ,, 393
I3 ,, ,, 332-489
I5 ,, ,, 276
I6 ,, ,, 498-583
I7 ,, ,, I20-24I
23-25 ,, ,, 240-449-890-I059
26-28 ,, ,, I28-2I3-752-809
29-30 ,, ,, I30-234-365-52I
3I ,, ,, 663-837
32-33 ,, ,, 443-537-767
32-33 ,, ,, (New) 28-I07

29-30 ,, Notes. ~~x2s~~ 20I-42I

32-33 ,, X. (niliacea) 479

I2 ,, Vars. I70

8 ,, alopecurus X rotundif. 337

8 ,, Bauhini etc. 392

23-25 ,, Briquetianae Notes 6I3

26-28 ,, piperita V subcordata 582

W ,, Pulegium V erecta 22

29-30 ,, rubra X verticill. 33

I5 Mercuralis per. V ovata 370

26-28 ,, ,, V Salisb. 3I7

23-25 Mesembryanthemum (s) 771

29-30 Mibora minima 377-531

I4 Middlesex Aliens 83
26-28 ,, ,, 444

32-33 Miller. Obit. 510

29-30 Mimulus gutt. I28-363

2I ,, ,, V Youngiana 298

8 ,, Langsdorfii 391

W ,, luteus 57

I3 ,, moschatus 486
I6 ,, ,, 496
I7 ,, ,, II9
26-28 ,, ,, I27-749
29-30 ,, ,, I28-363

32-33 Mints that Sport. 589

W Molinia caerulea V major 209

W ,, ,, V subspicata 367

23-25 Moneses uniflora I98-396
3I ,, ,, 659

23-25 Monolepis Nuttalliana 593

8 Montia Notes 33I

I7 ,, ,, (intermedia, etc.) 2I4

I9 Moricandia arvensis 640

3I Morroco. 793

29-30 Moss. C.E. Obit. 326

I4 ,, Dr. (Notes on many plants) 20

23-25 Muehlenbeckia complexa 78I

29-30 Muscari racemosum 372

3I Museums. Journal of (Review) 580

I5	Myosotis (s)		358
3-25	,, ,,		886
3I	,, ,,		667
2-33	,, Notes		388
9-30	,, arvensis		5I8
23-25	,, ,, V stricta		777
8	,, Balbisii		390
26-28	,, brevif.		33-408-748
29-30	,, caespitosa forma		232
I7	,, collina V Lebelii		38
I7	,, Mittenii		II8
29-30	,, palustris & Vars.		I57
29-30	,, ,, V strigosa		I27
29-30	,, serotina		30
23-25	,, sicula		47
26-28	,, ,,		267
23-25	,, strig.		I054
26-28	,, ,,		408
26-28	,, sylvatica		I25
29-30	,, ,,		362-5I8
W	,, versic. V dubia		502
32-33	,, ,, ,, ,,		44I
29-30	,, ,, Vars.		275-5I8
26-28	,, ,, V Lloydii		580
3I	,, ,, V lutea		834
32-33	Myosurus minima		5I5
32-33	Myriophyllum (s)		527
32-33	,, Species		6I9

8 Naias flexilis 400
I4 ,, ,, 76-I67
32-33 ,, ,, 773

29-30 Narcissus (s) I38

32-33 ,, (New) 30

29-30 ,, biflorus 372

I7 ,, poeticus I30

29-30 ,, pseuda-Nar. forma 38

23-25 Nasturtium off. V microphyllum I66

32-33 ,, pal. V fallax 2I

W ,, sylv. V tenuif. 33I

29-30 Nepeta Cataria I3I

29-30 ,, hederacea V major 279

32-33 Nigella damascena 576

29-30 Nitella opaca 379

29-30 ,, transl. 244

23-25 Nomenclature Notes (Druce) I69-9I9
23-25 ,, (Criticism of L.Cat.) 925

23-25 Norfolk Plants (B.Reynolds) 252

32-33 Northamptonshire. Additions to Fl.of, 57I
3I ,, Flora 582
29-30 ,, ,, (Review) 269

3I Norway Botany 790
22 ,, ,, 786
23-25 ,, ,, 978

29-30 Nymphea alba. Notes. 438

I0 ,, lut. V intermedia 538
I9 ,, ,, ,, ,, 636

29-30 Nymphoides Nym. 36I

23-25 ,, peltatum 963

-33 Obituaries 82- 508

I OEnanthe crocata forma 557

8 ,, ,, V tenuif. 285
-30 ,, ,, ,, ,, II7

I ,, fistulosa V Tabernaem. 2I
5 ,, ,, ,, ,, 268
8 ,, ,, ,, ,, 38I
9 ,, ,, ,, ,, 657

7 ,, Lachenalii V approximata 3I

-28 ,, ,, V minima 306

-28 OEnothera (Key) 6I7

3 ,, (s) 365
-30 ,, ,, 354

-25 ,, cathariensis 436

,, Lamark. I7I
,, ,, I9I

-28 Omphalodes liniodea 748

-30 ,, Omp. (verna) I27

8 Onobrychis alba 28I

0 ,, viciif. I20

I3 Ononis reclinata 464
I8 ,, ,, 374

I7 ,, repens V horrida I02

)I ,, ,, V maritima 554

)-25 ,, ,, formas I036

)-28 ,, spinosa V procurrens 2I
)-30 ,, ,, ,, ,, 340

29-30 Onopordon (s) 357
29-30 ,, Acanthium I2I
23-25 ,, Acanthium V viride 578

3I ,, Tauricum 655

20 Ophioglossum vulg. V polyphyll. I62
5 ,, ,, ,, ,, I9I

29-30 Ophrys (s) I37-37I

I0 ,, apifera V flavescens 508
I8 ,, ,, V Muteliae 309
I7 ,, ,, V Trollii I29

3I Orchidaceae 669

3I Orchids by Godfrey (Review) 602

3I ,, (Long Paper) 725

9 Orchis (s) 4I9
I6 ,, ,, 503-588
I7 ,, ,, I28-249
23-25 ,, ,, 323-597-833
29-30 ,, ,, 37-I37-280-370
32-33 ,, ,, II0-~~xxx~~ 487-62I-670

I3 ,, Xs. 338
26-28 ,, ,, 638-685
32-33 ,, ,, 364

I4 ,, Notes. 26-99
I5 ,, ,, 2II
I7 ,, ,, I49
2I ,, ,, 3I4-432
23-25 ,, ,, 64-322-784-896
29-30 ,, ,, 442
26-28 ,, ,, (France) 493
26-28 ,, ,, (Hampshire) 79I

I0 ,, cruenta 52I

26-28 ,, incarnata V dunensis 589
20 ,, ,, ,, ,, I48

I5 ,, hircina 28I
23-25 ,, ,, 2I5-598
32-33 ,, ,, II7-543

I2 ,, maculata X Hab. viridis I79

I0 ,, militaris 52I

5-28	Orchis Morio V Bartlettii	638
3-25	,, ,, V Churchillii	214-597
23-25	,, OKellyi	215-454
29-30	,, ,,	526
17	,, praetermissa (Plate)	I
19	,, ,,	577-608
6-28	,, ,,	678
21	,, ,, V pulchella	579
9-30	,, purpurella notes	203
20	,, ,,	86
21	,, ,,	579
3-25	,, ,,	214
31	Orkney (Additions)	728
2-33	Origanum vulg. V virescens	~~168x~~ 107
29-30	Ornithogalum (s)	372
17	,, nutans	250
6-28	,, pyren.	137
13	,, umbellatum V angustif.	342
8	Ornithopus compressus	375
29-30	,, perpusillus	341
26-28	,, ,, V glaber	23
12	,, pinnatus	244
3-25	,, ,,	179-381
29-30	,, roseus	110

9 Orobanche (s) (Alderney) 468
I4 ,, ,, 7I
29-30 ,, ,, I30-364

29-30 ,, Notes 288

29-30 ,, alba V bidentata 278

I5 ,, amethystea 276
I7 ,, ,, I20
W ,, ,, 349

I8 ,, hedera V monochroa 298

I6 ,, major V ~~xxxxxx~~ citrinis 424

20 ,, minor V flavescens I40

I2 ,, picridis 2I5

23-25 ,, reticulata V pallidiflora 778

8 ,, ,, V procera 334
I6 ,, ,, ,, ,, 497
I8 ,, ,, ,, ,, 392
22 ,, ,, ,, ,, 74I
26-28 ,, ,, ,, ,, 4II

23-25 ,, Ritro V hypochaeroides 399

32-33 Orubus vernus 2I

29-30 Oryza Oryziodes I44

29-30	Oxalis (s)	299
W	,, Acetocella V subpurpurascens	284
II	,, ,, ,, ,,	79
2I	,, ,, ,, ,,	377
I8	,, ,, ,, ,,	373
I9	,, ,, ,, ,,	646
22	,, ,, ,, ,,	722
23-25	,, ,, ,, ,,	869
26-28	,, ,, ,, ,,	731
29-30	,, ,, ,, ,,	I09
I6	,, corniculata V minor	406
I9	,, Dillenii	553
23-25	,, latifolia	996
26-28	,, ,,	392
3I	,, rosea	554
32-33	,, semiloba	468
29-30	,, stricta	I09
23-25	Oxford Bot. Gdns. History of	335
26-28	Oxfordshire Flora.	334
29-30	Oxycoccus Oxy.	I25
29-30	,, ,, forma	274
I3	,, quadripetala V microcarpus	327
I8	,, ,, V pyriformis	289
32-33	,, ,, (2 forms)	765

23-25 Palestine Tour. (Druce) 966

I8 Panicum (s) 3II
29-30 ,, ,, 376

I5 ,, Crus-Galli V Hosti 383

29-30 ,, glabrum 242

23-25 ,, maximum 790-I069

29-30 Pansy Notes. I65-457

9 Papaver (s) 428
29-30 ,, ,, I0I-332-507
3I ,, ,, 634

22 ,, Argemone V contigua 60I
26-28 ,, ,, V glabratum 528

32-33 ,, pinnatifida 2I

I8 ,, Rhoeas (Key) 274

23-25 ,, ,, Vars. 26-763-86I

I8 ,, ,, V caudatif. 274

I2 ,, ,, V chelidonioides I5I

I5 ,, ,, V conicum I86

2I ,, ,, V Hoffmannianum 37I

5 ,, ,, V Pryorii I53

~~3I ,, ,, Vumbrosum 552~~
~~32-33 ,, ,,~~

29-30 ,, ,, forma rosea I6

II ,, ,, X dubium 67
I8 ,, ,, ,, ,, 367

29-30 ,, somniferum X Rhoeas 258

3I ,, umbrosum 552
32-33 ,, ,, 820

32-33 Papers on British Flora 58

29-30 Paris quadrifolia 372-526

6-28 Parnassia palustris V condensata 737
I2 ,, ,, ,, ,, I60

3-25 Peebleshire Flora 726

I6 Peplis Portula V longidentata 569

29-30 Petasites (s) II6

23-25 ,, albus 577-879
I5 ,, ,, 270
22 ,, ,, 73I
29-30 ,, ,, I20

29-30 ,, fragrans I20

29-30 Peucedanum (s) II8

29-30 ,, graveolens 354

29-30 ,, officinale 229-5I6

I5 ,, Ostruthium 350

(I6-I7) ,, sativum Var. I9
23-25 ,, ,, ,, 437

23-25 Phalaris (s) 903
3I ,, ,, 676

W ,, minor 4I3
20 ,, ,, I57
23-25 ,, ,, 60I

W ,, paradoxa 208
20 ,, ,, I57

29-30 ,, ,, V praemorsa 530

32-33 Phleum graecum 549

29-30 ,, intermedium I44-242

I8 ,, Michelii 407
3I ,, ,, 573

I8 ,, paniculatum 407
20 ,, ,, I57

32-33 ,, phleoides 454

I7 ,, pratensis Vars. 54
29-30 ,, ,, ,, 376

23-25 ,, ,, V interm. 602
I8 ,, ,, ,, ,, 407

26-28 ,, ,, V longiaristatum 423

29-30 ,, ,, V nodosum 530

I5 Phragmites (s) 2I7

29-30 ,, Vars. 377

I7 ,, flavescens I34
23-25 ,, ,, 603
32-33 ,, ,, 549

I9 ,, vulg. Vars. 689

I8 ,, ,, V ramosa 3I2

23-25 Physalis Fendleri 446

32-33 ,, pubescens 27

22 Phyteuma nigrum 6I4

8 ,, spicatum 389

29-30 ,, ,, V coeruleum 360

II Phytogeographical Ex. through Brit. Is. 60

23-25 Phytolacca americana 209-892

26-28	Picris Spreng.		744
~~1~~	Pilularia globulifera		79
23-25	,, ,,	I073	
26-28	,, ,,		I44
29-30	,, ,,	379	
I9	Pimpinella Anisum		560
29-30	,, Saxif. Vars.		354
26-28	,, ,, V ovata		6I7
I7	,, ,, V poteriif.		I08
23-25	,, ,, ,, ,,	77I	
29-30	,, ,, ,, ,,		II7
29-30	Pinguicula X.		I30
2I	,, grandif. X vulgaris		30I
29-30	,, vulgaris		365
29-30	.. ,, V alpicola		I30
I5	,, ,, V bicolor		363
I2	Piquet. Obit.		205
32-33	Plagiobotrys stipulatus		534

9 Plantago (s) 418
14 ,, ,, 156
15 ,, ,, 207
16 ,, ,, 499
17 ,, ,, 123
20 ,, ,, 42
29-30 ,, ,, 133
31 ,, ,, 665

12 ,, Vars. 178

31 ,, forms 570

29-30 ,, Coronopus 237

23-25 ,, ,, forma 779

29-30 ,, Cynops 367

21 ,, Edmondstonii 574

12 ,, Hudsoniana 170
16 ,, ,, 499

23-25 ,, Indica 891

29-30 ,, lanceolata Notes 461

21 ,, ,, V anthroviride 301

32-33 ,, ,, V elliptica 108

W ,, ,, V major 356

10 ,, macrorrhiza 583
11 ,, ,, 27

10 ,, maritima Vars 507
W ,, ,, V proceriar 356
21 ,, ,, V pubescens 301

23-25 ,, major V bracteata 779
26-28 ,, ,, ,, ,, 634

22 ,, ,, V brachystachya 743

23-25 ,, Psyllium 207

18 ,, sphaerostachys 306

52-33 Plant Nomenclature 300

26-28 ,, Notes. by Drabble 528-798

23-25 Platanus formas 452

23-25 ,, orient. 895

3I Pneumaria maritima 660-834

I8 ,, virginica 388

5 Poa (s) 386
6 ,, ,, 509
7 ,, ,, I35-257
-30 ,, ,, I45-378
3I ,, ,, 667-845
-33 ,, ,, 456

I2 .. annua V reptans I85

I2 ,, Chaixii 296
I8 ,, ,, 408
I9 ,, ,, 689

I8 ,, exilis 3I4
W ,, glauca I20

I2 ,, irrigata I8I

2-33 ,, nemoralis V firmula 4I
W ,, ,, V glaucantha I20
I2 ,, ,, V subuniflora 297

9 ,, palustris V effusa 42I-48I
I2 ,, ,, ,, ,, 296
W ,, ,, ,, ,, 367

-30 ,, pratensis Vars. 286
W ,, ,, V angustif. 320
I9 ,, ,, V latifolia 584
20 ,, ,, V ,, I58
I7 ,, ,, V planiculmis 56

6-28 ,, subcoerulea Notes I79

22 ,, trivialis Vars. 636
2I ,, ,, V septentron. 326
23-25 ,, ,, V stricta I070

29-30 Polemonium coeruleum 126

29-30 Polycarpon tetraphyllum V densum 224

17 Polygala (s) 98
23-25 ,, ,, 561
29-30 ,, ,, 336

11 ,, Babingtonii 12

14 ,, Ballii 125

16 ,, calcaria 474

21 ,, dubia 375
23-25 ,, ,, 172-866

9 ,, grandiflora 440

29-30 ,, serpyllifolium V decora 20

29-30 ,, vulgare 224

29-30. Polygonatum multiflorum 139

13 ,, verticillatum 498

32-33 Polygonums (Review) 486

17 ,, (s) 125
23-25 ,, ,, 55-780-892
29-30 ,, ,, 135-237-522
31 ,, ,, 666
32-33 ,, ,, 444-769

29-30 ,, Xs. 368
29-30 ,, minus X Persicaria 35

12 ,, notes on heterophyllum & aequale 177

32-33 ,, amphibium V glandulosum 541

23-25 ,, Bellardi 893-1062
32-33 ,, Bungeanum 481
W ,, calcatum 359

31 ,, Lapathif. (Review) 589
14 ,, ,, V. (?) 159
23-25 ,, ,, Var. 781
W ,, minus V subcontiguum 552
32-33 ,, oxyspermum 43
32-33 ,, pennsylvaticum 481
23-25 ,, Persicaria V ~~xxxxxix~~ agreste 1062
32-33 ,, ,, V hirticaule 481

8 Polypodium vulg. V cambricum 406

29-30 ,, ,, V serratum 147

23-25 Polypogon (s) 1069

23-25 ,, littoralis 602
32-33 ,, ,, 549

29-30 ,, monspeliensis 242-530

10 Polystichum aculeatum V lonchitioides 511

29-30 ,, angulare 533
10 ,, ,, V dubium 511

29-30 ,, setiferum V ambilobum 379

14 Populus Xs. 20
17 ,, ,, 248
10 ,, notes 524
23-25 ,, ,, 1065

29-30 ,, alba 526

29-30 ,, canescens 240-526
32-33 ,, ,, X tremula 542

15 ,, nigra (& illustrations) 209
16 ,, ,, 502
17 ,, ,, 128
32-33 ,, ,, V ~~xixxxxxxx~~ viridis 542

32-33 ,, regenerata 482

26-28 ,, tremula V Brownii 36-589

13 Portugal Flora 355

W ~~23x25~~ Portulaca oleracea 488
16 ,, ,, 477
23-25 ,, ,, 868
26-28 ,, ,, 729
32-33 ,, ,, 521

29-30 Potamogeton Notes & Key 380

8 ,, (s) 400
9 ,, ,, 476
I3 ,, ,, 395-50I
I4 ,, ,, 76-I66
I5 ,, ,, 224-284-377
I6 ,, ,, 506-59I
I8 ,, ,, 3I0
20 ,, ,, 50-I5I
22 ,, ,, 632
23-25 ,, ,, 66-2I7-600-652-787-900
29-30 ,, ,, I40-240-284-373-526
3I ,, ,, 672-842
32-33 ,, ,, 45I-483-545-773

32-33 ,, (New) 3I-5I-7II

I9 ,, Notes 7°I
26-28 ,, ,, 646
29-30 ,, ,, I48

32-33 ,, Xs. 486

I0 ,, alpinus 598

32-33 ,, ,, V Palmeri 572

32-33 ,, Bennettii ~~I8I~~ II9

I0 ,, Cooperi (X) 599

I9 ,, Drucei 7I3

23-25 ,, foliosus 66

29-30 ,, lucens X perfoliatus 40

26-28 ,, natans 80I

I9 ,, panormitanus 58I
23-25 ,, ,, V minor 900-I067

8 ,, pensylvanicus 399
W ,, ,, 205

23-25 ,, pusillus V lacustris I067

Potentilla (s) 342
,, ,, 448
,, ,, 3I6
30 ,, ,, II4-35I
-30 ,, erecta X procumbens 5I3
,, hirta 50
,, inclinata 288
25 ,, ,, 387
,, mixta 440
-28 ,, palustris V villosa 395
2 ,, reptans V microphyll. 727
-25 ,, ,, V mollis I82
4 ,, verna I39
I3 Poterium (s) 466
-25 ,, canadense 569
I2 ,, platylophum 247
330 ,, ,, II5
,, stenophy. 838
Prangos Uechtrizii ~~xi2~~ ~~822~~ 829
-33 ,, ,, 22

32-33 Primula Xs. 372

I7 ,, farinosa V albiflora 38

2I ,, ,, V littoralis 296

I3 ,, scotica 483
3I ,, ,, 659

26-28 ,, veris V rubra 747

26-28 ,, ,, X vulgaris 747

26-28 Prionites Falcaria 739
29-30. ,, ,, II7-354

29-30 Prunella laciniata 366

I7 ,, vulg. V dunensis 48

I5 ,, ,, V nemoralis 206
I7 ,, ,, ,, ,, I2I
29-30 ,, ,, ,, ,, 366-52I

32-33 ,, ,, V pallida 486

I5 Prunus (s) 263
29-30 ,, ,, 342

23-25 ,, domestica X insititia 38I

29-30 ,, lusitanicas & Var. 20

8 ,, sepivaga (domestica) 332

23-25 Psoralea bituminosa 713

23-25 Pteris aquilina V crispa 413

12 ,, lanuginosa 185

32-33 Publications (Review) 46- 488

18 Pulicaria dysinterica V discoidea 286

31 ,, Pulicaria 654

23-25 ,, uliginosa V hispanica 37

28 Pulmonaria angustif. 390

29-30 ,, longifolia 518

32-33 Pyrola media 533

29-30 ,, rotundifolia 361

W ,, ,, V arenaria 56
3-25 ,, ,, ,, ,, 729

23-25 ,, ,, V maritima 729
32-33 ,, ,, ,, ,, 659

15 ,, secunda 356

8 Pyrus (s) 375
9 ,, ,, 456
9-30 ,, ,, 115-353
31 ,, ,, 651-828

8 ,, cordata 375

9-30 ,, communis V Deseglisei 514
32-33 ,, Cydonia 753
32-33 ,, Malus V paradisiaca 526

29-30 ,, ,, V sylvestris. 226

17 ,, pyraster V Deseglisei 222

W ,, scandica 234

XXXXXXXXXXXXX
Q.

31 Quercus Cerris V laciniata 841

3-25 ,, Ilex Notes. 782

29-30 Radicula (s) 102

31 ,, amp. V auriculata 634
29-30 ,, islandica 221
,, forma laxa 19

31 ,, Nasturtium 634

23-25 ,, ,, (Medical) 764

13 ,, sylv. 307
29-30 ,, ,, 333

29-30 Radiola Radiola 109-339

16 Ranunculus (s) 555
29-30 ,, ,, 101-221-331-507
31 ,, ,, 632-633-820
32-33 ,, ,, 88-515

21 ,, Notes. 440

29-30 ,, acer. Notes. 473

8 ,, acris. Vars. 358

23-25 ,, ,, V Friesianus 706

23-25 ,, ,, V minutiflorus 24-553
29-30 ,, ,, ,, ,, 100

19 ,, ,, V Steveni 635

21 ,, Aleae (? dunensis) 549

18 ,, aquaticus. (Notes & Key) 423

23-25 ,, arvensis V inermis 553

29-30 ,, auricomus V cervicornix 18

21 ,, ,, V incisifolius 549

26-28 ,, ,, V reniformis 722
29-30 ,, ,, ,, ,, 331

3	Ranunculus	bulbosus	444
32-33	,,	,, & Vars.	242
5-25	,,	,, forma	762
3-25	,,	,, V dunensis	I64
I5	,,	,, ,, ,,	309
3-25	,,	Ficaria	24-I65-763
I7	,,	,, V sinuata	94
6-28	,,	Flammula. Vars.	722
6-28	,,	fluitans V Bachii	723
2	,,	Hiltoni (X)	227
	,,	,, ,,	381
-30	,,	Lingua V glabratus	33I
I6	,,	,, V hirsutus	553
9	,,	,, ,, ,,	635
8	,,	Nathorstii	365
I4	,,	ophioglossifolius	59
3I	,,	parviflora	620
I8	,,	peltatus V lacerus	272
I5	,,	repens. Vars.	309
23-25	,,	sceleratus V fasciatus	762
26-28	,,	,, V subindivisa	I03
29-30	,,	sphaerospermus	I8
29-30	,,	trichophyllus Vars.	I8
I0	,,	valdepubens (? dunensis)	495

31 Raphanus Landra forma parvifolius 553

31 Rapistrum rugosum V venosum 553

31 Report. (General) 540
32-33 ,, ,, I7

I6 Reseda (s) 559

29-30 ,, alba I05-335

2I ,, ,, V Lecoqii 552

I6 ,, inodora 403

W ,, lutea. Vars. 433

I9 ,, ,, V longif. 64I

I4 ,, ,, V pulchella I2I
I5 ,, ,, ,, ,, I87

I3 ,, Phyteuma 454

8 ,, stricta 360

32-33 Review of Godfreys Orchids. 72

W Rhamnus Alaternus 489

I3 ,, catharticus 463

29-30 ,, Frangula forma 20

29-30 Rhinanthus (s) 364

I8 ,, Alectorolophus 297

29-30 ,, Crista-Galli 234
29-30 ,, ,, ,, V ramossimum 32
2I ,, ,, ,, V robustus 300

I5 ,, Gardéneri (X) 205

W ,, major 6I-548. (I6-I7) 26
I6 ,, ,, 497-582
23-25 ,, ,, 398

I7 ,, ,, X minor (?-) 240

29-30 ,, monticola I30

3I ,, stenophyllus 662

29-30	Ribes nigrum	353
20	,, rubrum	69
29-30	,, Una-crispa	II6
20	Rogers. Moyle, Obit.	I05
32-33	Roemeria hybrida	5I6
5	Rosa (s)	I67
8	,, ,,	369
9	,, ,,	449
I3	,, ,,	323-467
I4	,, ,,	I40
I5	,, ,,	I95-343
I6	,,,,,,	484
I7	,, ,,	220
I8	,, ,,	377-50I
I9	,, ,,	8I9
20	,, ,,	2I-225
29-30	,, ,,	22-II5-227-263-35I-5I3
3I	,, ,,	65I-827
32-33	,, ,,	99-I64-524-759
2I	,, Notes by Almquist	278
23-25	,, ,, (Corrected names)	667
26-28	,, ,,	533
32-33	,, (Revision of)	I60
26-28	,, Ciphiana	24
32-33	,, micrantha V Burgessi	468
I2	,, Rothschildii	I57
3I	Roses in Angus	695

26-28	Ross. West,	Flora	(After)890
9	Rouy. Flore	de France.(Scroph. & Labiatae)	426
5	Rubus (s)		I6I
8	,, ,,	366	
9	,, ,,		446
I4	,, ,,	I37	
I5	,, ,,		I94-263-337
I6	,, ,,	564	
I7	,, ,,	I05	I8I-2I8
23-25	,, ,,	I046	
29-30	,, ,,	2I-III-227-260-342-423-5I3	
3I	,, ,,		64I-826
32-33	,, ,,	434-485-523-753	
23-25	,, Notes.		7I4
26-28	,, ,,		782-85I
26-28	,, ,,	(Kent & Surrey)	499
20	,, ,,	(Sudre Monograph)	87
32-33	,, New,		42-94
3I	,, (Watsons Paper)		76I
W	,, Bucknalli	50-	535
32-33	,, dasycoccus		2I
I2	,, glareosus	I60	
W	,, ,,		392-49I-534
32-33	,, luoplus		2I
29-30	,, ideaus X ulmif.		20
23-25	Rugby Plants.		84

15	Rumex (s)		208
16	,, ,,		501
17	,, ,,		126
29-30	,, ,,		135-239
31	,, ,,	839	
32-33	,, ,,		770
23-25	,, Notes		57-781-893
13	,, Xs.		495
29-30	,, ,,	36	
32-33	,, ,, & Var.		29-109
26-28	,, ,, etc.	275-416	
12	,, X. Sagorskii		282
23-25	,, X. Weberi		594
26-28	,, ,, ,,	416	
23-25	,, arifolium		58-1063
29-30	,, elongatus		35
22	,, Friesii		853
23-25	,, longif. X obtusif.		781
12	,, rupestris		282
23-25	,, obovatus		61
26-28	,, ,,	131	
23-25	,, obtusif. X pulcher		595
W	,, scutatus		23
23-25	,, ,, V ~~xxxxxxx~~x hastilis		60
29-30	,, sanguineus		523
29-30	Ruppia rostellata		528
29-30	Ruscus aculeatus forma		372
32-33	Rutland Flora.		493
29-30	Rynchospora fusca		375-~~xxx~~ 529

9	Sagina (s)		442
I4	,, ,,	I29	
I6	,, ,,	476	
I7	,, ,,		2I3
29-30	,, ,,	I08-338	
II	,, Monograph		I4
I7	,, Notes.		I90
I3	,, X.		374
I6	,, apetala Vars.		56I
W	,, ciliata V ambigua		436
I2	,, filicaulis		237
W	,, nivalis		386
I4	,, nodosa V glandulosa		I29
II	,, procumbens V maritima		77
I3	,, ,, V pentamera		3I0
26-28	,, Reuteri notes		46I
I2	,, ,,		237
I7	,, ,,	I00	
8	,, ,, V glabra		330
9	,, ,, ,, ,,	442	
I4	,, scotica		63
8	Sagittaria V iscana		338
22	,, ,, ,,	857	
3I	,, sag.		57I

W Salicornia (s) 506
I0 ,, ,, 585
I6 ,, ,, 501
I7 ,, ,, 5I-I25

29-30 ,, disarticulata 368

I3 ,, dolichostachya 334
29-30 ,, ,, 368

I7 ,, ,, X. etc. I25

9 Salix (s) 474
I5 ,, ,, 280
I7 ,, ,, 248
23-25 ,, ,, 405-895
26-28 ,, ,, 588
29-30 ,, ,, I36-239-320-369-525

3I ,, ,, 668

32-33 ,, ,, 450-542-771

23-25 ,, Notes. 404-983-I065

32-33 ,, (Revision of Names) 367

3I ,, alba V stenophylla 84I

32-33 ,, atrocineria X nigrâcans 29

32-33 ,, cineria 482

23-25 ,, daphnoides Vars. 453

29-30 ,, lanata X lapponum 36

32-33 ,, Myrsinites V procumbens II0

29-30 Salmon. C.E. Obit. 96

29-30 Salsola Kali 368

29-30 ,, ,, & Vars. I34

5 ,, tenuif. I46-I83
I7 ,, ,, (PESTERFER) 5I
20 ,, ,, I45
23-25 ,, ,, 209-892
29-30 ,, ,, 52I

I8 ,, Tragus 396

8 Salvia (s) 338
I6 ,, ,, 426
I8 ,, ,, 394
29-30 ,, ,, ~~x356x~~ 366

32-33 ,, Bertolonii 538

I6 ,, Marquandii 584

23-25 ,, nemorosa 206
I9 ,, ,, 673
29-30
~~xx~~ ,, Verbenica 236

9 ,, ,, V incisa 417

W ,, virgata 355

29-30 Sambucus Ebulus II8-355

29-30 ,, nigra V ovalifructa 23

32-33 ,, ,, V rotundif. I03

29-30 ,, ,, forma 270

23-25 ,, racemosus I87
I8 ,, ,, 382
32-33 ,, ,, I03

W Santolina Chamae-Cyparissus 342
I9 ,, ,, ,, 660
20 ,, ,, ,, I29
32-33 Saponaria calabrica 468

29-30 Satureia Acinos 521

29-30 ,, ascendens V Briggsii 366

I9 ,, montana 573
23-25 ,, ,, 206

I6	Saxifraga (s)			568
29-30	,,	,,	II6	
8	,,	Notes.		376
I8	,,	Drucei		284
W	,,	Geum X.		I86
W	,,	Hirculus		292
I9	,,	,,	653	
26-28	,,	,,		II5
I4	,,	hirsuta V acutidens		I44
32-33	,,	hypnoides X sphonhemica		762
9	,,	nivalis X. (Crawfordii)		4I4
23-25	,,	~~xxxxxx~~ rotundifolia		I84
8	,,	umbrosa V serratif.		376
I0	Scabiosa (s)			503
9	,,	X. (Columbaria X Succisa)		4I5
29-30	,,	Columbaria forma		355
22	,,	maritima		729
26-28	,,	,,,	263	
I2	,,	Succisa. Vars.		I63
I7	,,	,, V glabrata		II0
I3	,,	,, V hispidula	472	
I7	,,	,, V ovalis		32
29-30	,,	,, forma nana		II8
32-33	Scandicum pinnatif.			2I

I2 Scheuchzeria pal. 290
I3 ,, ,, 395
I4 ,, ,, I66
29-30 ,, ,, 373

W Schoenus ferrugin. 462
I3 ,, ,, 503

29-30 Scilla autumnalis 240

I6 ,, ,, V albiflora 505

2I ,, bifolia 3I8

I2 ,, hispanica 288

I7 ,, non-scripta V bracteata I30

20 ,, ,, ,, ,, ,, forma Stuartiae 49

29-30 ,, ,, ,, V Lacaillei 38

~~2[illegible]~~ 29-30 Scirpus (s) 24I-374-528

3I ,, Notes 572

29-30 ,, americanus I4I

I2 ,, caespitosus V germanicus I80-292
I5 ,, ,, ,, ,, 285

29-30 ,, maritimus V conglobatus I4I

2I ,, nanus (Cleveland) ~~5[illegible]~~ 58I

W ,, rufus (Bigwood) II6
23-25 ,, ,, 408-90I

26-28 ,, ,, V bifolius I38

I4 ,, setaceus V major 27

23-25 ,, ,, V pedicillatus 68-455-900

23-25 ,, Tabernaemontani X triqueter 68

32-33 Scleropoa rigida V patens 4I

B.E.R. I905 to I933
S. cont.

I8 Scorpiurus sub-villosa 375
I5
~~23-25~~ Scorzonera humilis 202
I6 ,, ,, 4I9
23-25 ,, ,, 582

23-25 Scotch Plants. 249

I6 Scrophularia (s) 496
29-30 ,, ,, 363

3I ,, Notes. 568

I2 ,, alata 27I
I5 ,, ,, 359
I7 ,, ,, II9

I5 ,, ,, X aquatica (Hurstii) 204

26-28 ,, aquatica V appendiculata 532

23-25 ,, ,, V pubescens 398

23-25 ,, ,, V angustif. 777

29-30 ,, nodosa V bracteata I28

2I ,, ,, V ternata 297

26-28 ,, ,, V Trachelioides 3I3

32-33 ,, perigrina I06

I7 ,, Scorodonia V viridif. 39

29-30 ,, vernalis I28

29-30 Scutellaria Columnae 236

I8 ,, galericulata V littoralis 394
23-25 ,, ,, ,, ,, 890
W ,, ,, ,, ,, 550

9 ,, ,, V pubescens 417-468
I2 ,, ,, ,, ,, 275
20 ,, ,, ,, ,,
W ,, ,, ,, ,, 141
405

26-28 ,, ,, Var. 129-315

26-28 ,, ,, Vars. 532

I3 Sedum acre 323
29-30 ,, ,, 353

I8 ,, Cepaea 379

29-30 ,, dasyphyllum 228

I2 ,, Drucei 160
I3 ,, ,, 468
I7 ,, ,, 28

8 ,, Fosterianum 376
I4 ,, ,, I44
3I ,, ,, etc. 651
29-30 ,, purpureum II6-353
I8 29-30 ,, reflexum II6

I7 ,, ,, V albescens I07

32-33 ,, roseum II7

3I ,, rupestre 651
32-33 ,, ,, 435

I9 ,, sexangulare 654
2I ,, ,, 382
W(I7)I8- ,, ,, 64
29-30 ,, ,, 515

2I Selaginella denticulata 586

20 Sempervivum arboreum 22

15	Senecio (s)		352
17	,,	,,	112
23-25	,,	,,	879
29-30	,,	,,	120-229-357
12	,,	Notes.	259
8	,,	,,	379
9	,,	X.	415
26-28	,,	Xs. etc.	401-743
18	,,	Aliens.	288
23-25	,,	,,	440
26-28	,,	aquaticus V intermedius	743
23-25	,,	,, X Jacob. (Ostenfeldii)	39
26-28	,,	,, ,, ,, etc.	118
20	,,	,, V ornatus	25
23-25	,,	,, V ,,	726
W	,,	auriculatus	447
17	,,	erraticus	35
23-25	,,	,,	39-996
1927	,,	,, (Plate)	Page 1
26-28	,,	,,	264-743
16	,,	erucif. V discoideus	417
32-33	,,	,, ,, ,,	104
16	,,	,, V tenuif.	573
23-25	,,	Jacobaea V abrotanoides	774
15	,,	,, V condensata	201
32-33	,,	leucanthemifolia	22
23-25	,,	mikanioides	440-1051
20	,,	Smithii (Cineraria giganteus)	130
31	,,	,,	654
22	,,	squalidus. Vars.	610
W	,,	spathulif.	54
23-25	,,	sylvaticus V discoideus	440
13	,,	vulgaris. Notes.	358
22	,,	,, ,,	781
12	,,	,, V rubricaulis	260

22 Serratula tinct. Vars. 611

29-30 Setaria verticillata V brevisetum 530
29-30 ,, Viridis 530
29-25 ,, ,, V majus 905
32-33 ,, ,, ,, ,, 114

26-28 ,, ,, V weidmanni 37
29-30 ,, ,, ,, ,, 576
32-33 ,, ,, ,, ,, 37

20 Sherardia arvensis Vars. 127

W ,, ,, V hirsuta 237

13 ,, ,, V maritima 472
23-25 ,, ,, ,, ,, 1050

29-30 ,, ,, V ovata 118

31 Sicily. 801

32-33 Sideritis romana 539

31 Siedelia mercuralis 571
31

Sieglingia decumbens 580

15 ,, ,, V longigluma 287
23-25 ,, ,, ,, ,, 222

I6 Silene (s) 475
20 ,, ,, II5
26-28 ,, ,, 728
29-30 ,, ,, I06-337
3I ,, ,, 638
23-25 ,, catholica 866
26-28 ,, ,, 729
26-28 ,, conoidea 529-728
3I ,, cordatifolia 554
I5 ,, Cucab. V rubra I88
2I ,, ,, ,, ,, 375
W ,, dubia 45
5 ,, ,, I58
I4 ,, ,, I26
29-30 ,, ,, 224
32-33 ,, ,, I59
2I ,, italica 275-552
I2 ,, maritima, forma 235
I7 ,, ,, V parvifolia 2I2
W(I7-I8) ,, ,, X latif. 53
26-28 ,, nocturna V pauciflora 302
23-25 ,, pendula 562
I6 Sisymbrium (s) 472
29-30 ,, ,, I03-333
3I ,, ,, 636
32-33 ,, erysimoides Var. 5I6
2I ,, Loeselii 372
32-33 ,, ,, 428
29-30 ,, pannonicum 508
29-30 ,, polyceratium 222
29-30 ,, Thalianum 508
23-25 ,, ,, V brevicaule 27
I9 ,, ,, forma pusilla 548

I3 Sisyrinchium angustifoliam 394
I7 ,, ,, I29
32-33 ,, ,, III
3I ,, ,, 670

29-30 Sium erectum forma II7

I8 ,, latifolium. Vars. 284

29-30 Smyrnium Olusatrum II7

2I Snowdon & planted Aliens 453

29-30 Solanum (s) I27-232

29-30 ,, Chenopioides 276

23-25 ,, Dulcamara. Vars. I054

I6 ,, ,, V albiflora 495

I6 ,, ,, V ovatum 423

26-28 ,, ,, V tomentosa 267-748

I7 ,, miniatum 234

29-30 ,, nigrum V chlorocarpum 5I8

20 ,, ,, V sinuatum 33

23-25 ,, sisymbrifolium 777
26-28 ,, ,, 749
32-33 ,, ,, 534

32-33 ,, triflorum 534

29-30 Solidago (s) ~~xiii~~II9-~~28~~ 355

2I ,, cambrica 283

26-28 ,, Virgaurea. Notes. 74I
26-28 ,, ,, Vars. dentatiff. & interrupta 307
23-25 ,, ,, V Plukenetiana 877
3I ,, ,, ,, ,, 654

32-33 Somerset Plants 268

I7 Sonchus (s) II5
29-30 ,, ,, I25
32-33 ,, ,, 532

I2 ,, albescens I66
I6 ,, ,, 576

26-28 ,, arvensis V laevipes 265

I5 ,, ,, V spinulosus 202

32-33 ,, asper V leptophyllus I05

23-25 ,, ,, X oleraceus (Piquetii) 43

29-30 Sorbus Aria~~xx~~ 226

29-30 ,, ,, V lanifera 5I5

23-25 ,, Arsenii 96I

2I ,, Mougetti 56I

32-33 Sorghum cernuum 485-778

W Sparganium affine V microcephalum 64-3I4
26-28 ,, erectum. Vars. 3I9
I2 ,, flaccidum I79
I0 ,, natans V microcephalum 509
29-30 ,, neglectum I40

W ,, ramosum V macrocarpum 5II
29-30 ,, ,,, X simplex 373

8 Spartina (s) 339
W ,, ,, (Stapf) 425
3I ,, Notes. 573
29-30 ,, alternifolia 242
5 ,, Townsendii I88
23-25 ,, ,, 456
29-30 ,, ,, I44-376

29-30 Spergula sativa 338

I3 Spergularia (s) 460
29-30 ,, ,, I08
II ,, X. (salina X rupestris) I6
23-25 ,, nicaeensis 996
I2 ,, rubra V stipularis I55
I2 ,, rupestris V glabrescens 237
I2 ,, salina V urbica I55

23-25 Spilanthes decumbens 439-726

23-25 ,, leptophylla 575

32-33 Spiraea denudata 398

3I ,, Douglasii 640

29-30 ,, Filipendula 5I3

32-33 ,, tomentosa 523

W ,, Ulmaria V denudata 334-439
I2 ,, ,, ,, ,, I60
I8 ,, ,, ,, ,, 376
2I ,, ,, ,, ,, 380
23-25 ,, ,, ,, ,, 87I

29-30 Spiranthes aestivalis I37

23-25 ,, Romanzoffiana 49I
29-30 ,, ,, 369

29-30 Stachys (s) 366

W ,, alpina 22
I7 ,, ,, 243
23-25 ,, ,, 734
26-28 ,, ,, (in Wales) 4I3-584

32-33 ,, ,, X germanica 539

29-30 ,, ambigua I32-236

W ,, germanica 405
3I ,, ,, 664-838

I8 ,, lanata 394

I0 ,, officinalis V glabrata 506

I7 ,, ,, forma peloria 48

32-33 ,, sylvatica 640

3I ,, ,, V umbrosa 664
29-30 ,, ,, forma I32
32-33 Staph. Obit. 5II

29-30 Staphylea pinnata I09

8 Statice alpina 333

I5 ,, planifolia 203
I6 ,, ,, 577

26-28 ,, pubescens V Weyeri 309

23-25 Steironema ciliatum 729

I3 Stellaria (s) ~~xxx~~ 459
29-30 ,, ,, 224-338

29-30 ,, aquatica 5I0
I2 ,, ,, V scandens 208

I0 ,, Dilleneana 546
3I ,, ,, V parviflora 639

29-30 ,, graminea forma 20-I07

8 ,, Holostea (apetalus form) 363

26-28 ,, ,, forma Lousleyi etc. 302

W ,, nemorum 8I

8 ,, neglecta 363
I6 ,, ,, V umbrosa 476

26-28 St Kildas Plants. 428

I7 Sueda (s) (Dondia) I25

W ,, macrocarpa 358
3I ,, maritima V erecta 839

3I Surrey Flora. (Review) ~~xxxx~~ 595
3I ,, ,, (Druces Review & additions) 680

23-25 Sweden Tour. (Druce) 978

I3 Symphytum (s) 390-~~xxx~~ 484
I5 ,, ,, 358

29-30 ,, X. I27

8 ,, asperrimum 390

29-30 ,, perigrinum 362

23-25 ,, tuberosum 584-885

32-33 Tagetes patula 471

29-30 Tamus communis V trilobata 38

8 Taraxacum (s) 340
20 ,, ,, 28
2I ,, ,, 294
22 ,, ,, 6I3-734

23-25 ,, ,, 43-I96-395-440-58I-775-882

26-28 ,, ,, 6I9-745
29-30 ,, ,, 26-I23-296-360-5I7
3I ,, ,, 562-657

I9 ,, Notes. 565

22 ,, Monograph. 773

32-33 ,, (New) 25-I04

I2 ,, balticum I66

I2 ,, spectabile 2I3

23-25 Tarragon 392-879

26-28 Tatra. High, (Tour in Slovakia) I84

29-30 Taxus baccata I47

22 ,, fastigiata 638

29-30 Teesdalia nudicaulis 335-508

29-30 Tellima grandiflora II6

23-25 Tetragona expansa 874

29-30 Tetragonolobus purp. 5I2

29-30 Teucrium Botrys 52I

23-25 ,, Chamaedrys V hirsutum 53

26-28 ,, Scorodonia V acrotomum 634
29-30 ,, ,, ,, ,, 236

I7 ,, ,, V crispum 49

I8 ,, ,, V dentatum 395

31 Teucrium Scorodonia forma 570

23-25 ,, spinosum 779

23-25 ,, resupinatum 779

8 Thalictrum (s) 356

19 ,, Bauhinii 457

31 ,, collinum 632

5 ,, dunense 151

5 ,, Kochii 152

W ,, ,, 172

29-30 ,, majus 331

29-30 ,, marinum 100

23-25 ,, minus V flexuosum 859

W ,, ,, V odoratum (? V pubescens) 172

5 ,, montanum 151

31 ,, umbrosum 632

26-28 Thames Botany. 53

26-28 Thellung. Obit. 712

23-25 Thermopsis montana 996

29-30 Thesium humifusum 368-524

23-25 Thlaspi alliaceum 28

31 ,, alpina 821

29-30 ,, arvense 105

16 ,, perfoliatum 473

8 Thymus (s) 337
15 ,, ,, 364
23-25 ,, ,, 589
26-28 ,, ,, 753 xxxxx

29-30 ,, ,, 131-235-366

31 ,, ,, 663- 838

W ,, Notes 550
26-28 ,, ,, 167-509

23-25 ,, Monograph. 226

31 ,, X. 570

18 ,, alpestris 393

29-30 ,, britannicus X Chamaedrys 33

29-30 .. neglectus X Pulegioides 278

10 ,, vestitus (lanuginosus) 506

23-25 ,, zetlandicus 450

31 Tilea petiolaris 639

13 ,, platyphl. V corallina 314

20 Tillaea aquatica 259
21 ,, ,, 281

23-25 Tordylium maximum 437
32-33 ,, ,, (?) 103-763

5 Townsend. Obit. 148

16 Tragopogon (s) 576

31 ,, X. & Key. 566

15 ,, V grandif. 272
23-25 ,, hybridus 44
29-30 ,, minor X porrif. 272

29-30 ,, porrif. 360
9 ,, ,, V parviflorus 416

29-30 ,, ,, X pratensis 125

I5 Trees of Gt. Britain 348

I9 Trichomanes radicans (In wales) 692
I6 ,, ,, 511
29-30 ,, ,, I47

23-25 Trientalis eur. V nana I98

I8 Trifolium (s) 375
23-25 ,, ,, 565

29-30 ,, ,, II0-225-259-34I

3I ,, ,, 640-825

I8 ,, Aliens. 28I

I5 ,, agrarium 26I
32-33 ,, ,, 522

26-28 ,, arvense Vs Brittingeri & littorale 22-732

23-25 ,, ,, Vs longisetum & strictius I78

W ,, ,, V strictius 53I
29-30 ,, ,, ,, ,, 5I2

23-25 ,, Cherleri I78

W ,, dubium V pygmaeum 532

26-28 ,, medium Vars. 303-6I2-732

I4 ,, minus V microphyllum I35

I5 ,, pratense V leucochraceum ~~x22I~~ 26I

22 ,, procumbens forma foliacea 606

9 ,, ,, V majus 445

5 ,, resupinatum I60
I5 ,, ,, 26I
I6 ,, ,, 480

I6 ,, strictum 480

29-30 ,, subterraneum 5I2

I5 Triglochin maritimum V sexangulare 284
I2 ,, ,, ,, ,, I79

I9 Trigonella (s) 647
23-25 ,, ,, I77-564-870
29-30 ,, ,, II0

32-33 Trinea glauca 528

3I Trisetum paniceum 677

29-30 Triticum trunciale I47

23-25 ,, turgidum 4I3

3I ,, ventricosum 679

29-30 Trower. Alice, Obit. 98

32-33 Tunbridge Wells Flora I97

W Tunica saxifraga 223
9 ,, ,, 440
I8 ,, ,, 37I
29-30 ,, ,, I06

I6 Tussilago Farfara forma 4I6

29-30 ,, ,, ,, alba 27I

29-30 Typha (s) 373

29-30 ,, angustifolia I40

29-30 ,, latifolia I39

I7 ,, ,, X angustifolia I30

U.

20	Ulex europaeum	X Gallii		I7
23-25	,, ,,	,, ,,		379
29-30	.. ..	forma		340
23-25	,, Gallii (galled)			I036
29-30	,, ,,		340-5I2	
5	,, ,,	V humilis		I60
29-30	,, ,,	,, ,,		II0
I5	,, minor	V longispinosus		I92
9	Ulmus (s)			470
I0	,, ,,		523-59I	
I5	,, ,,			280
I7	,, ,,			I27-246
32-33	,, ,,		770	
32-33	,, elegantissima			482
3I	,, glabra			785
32-33	,, ,,	V montana		II0
29-30	,, minor	V sarniensis		524
26-28	,, nitens	V Hunnyb.		588
II	,, Plotii (etc.)			3I-I22
20	,, ,,		I47	
23-25	,, ,,			595-894
29-30	.. ,,		I36	

26-28 Umbelliferae 82-373

I7 Urtica dioica V. 247

23-25 ,, ,, V angustif 894

9 ,, ,, V atrovirens 4I8
W ,, ,, ,, ,, 203

29-30 ,, ~~,~~ ~~,~~ V holosericea I36

29-30 ,, ,, V incisa 36

W ,, ,, V microphylla 203

29-30 ,, ,, V umbrosa 525

23-25 ,, ,, forma villosa 782

I5 ,, pilulifera 280
29-30 ,, ,, I37

I2 Utricularia (s) 2I5
I4 ,, ,, 7I
32-33 ,, ,, 536

I0 ,, (Key) 5II

W ,, ochroleuca 349

23-25 ,, ,, 588

I5 ,, ,, 276-363

29-30 ,, vulgaris 365

29-30 Vaccinium intermedium 125

29-30 ,, Myrtillus 360

15 ,, uliginosum V pubescens 202

31 Valeriana off. 557
32-33 ,, ,, 249

31 ,, ,, V dentatifolium (etc.) 558

29-30 Valerianella dentata 355

23-25 ,, ,, V mixta 392

29-30 ,, ,, ,, ,, 355-516

29-30 ,, eriocarpa 118

22 Variations of Vegetation in Scotland. 797

25-25 Vaughans Herbarium 667

23-25 Verbascum (s) 887
26-28 ,, ,, 409
29-30 ,, ,, 362

31 ,, X. 835

29-30 ,, longifolius 31-128
31 ,, ,, 835

26-28 ,, lychnites X Thapsus 126

26-28 ,, nigrum V tomentosum 531

23-25 ,, Phlomoides 1055

32-33 ,, pulchrum 28

20 ,, virgatum 137
21 ,, ,, 570
22 ,, ,, 739
W ,, ,, 19

23-25 Verbena hastata 205

29-30 ,, officinalis 130

23-25 ,, paniculata 779

18 ,, tenera 298

I5 Veronica (s) 360
20 ,, ,, 34
26-28 ,, ,, 750
29-30 ,, ,, 3I-I28-233-363-5I9
3I ,, ,, 662
32-33 ,, ,, 44I-535
II ,, Key of Anagallis & aquatica, etc. 26
26-28 ,, Notes. 3I3
23-25 ,, acinifolia 398
26-28 ,, agrestis Vars. 633
3I ,, ,, V Sallesiana 580
29-30 ,, Anagallis-aquatica X aquatica 3I
W ,, arvensis V glandulosa 302
26-28 ,, Beccabunga V elegans 633
9 ,, ,, V longibract. 4I7
2I ,, ,, V repens 298
9 ,, Chamaedrys V incisa 4I6
9 ,, ,, V procera 4I6
23-25 ,, ,, ,, ,, 203
32-33 ,, filiformis 28
I7 ,, humifusa 235
I7 ,, hybrida Vars. albiflora & purpurescens 40
3I ,, Lobeliodes 570
26-28 ,, officinalis V integra, etc. 409
23-25 ,, ,, ,, ,, 887
I5 ,, ,, V rigida 205
32-33 ,, praecox 478-485
I8 ,, Pseudo-Chamaedrys 297
23-25 ,, salicifol. 998
32-33 ,, scutellata V villosa 44I

16	Viburnum Opulus V flava		415
W	,, ,, ,, ,,		53-540
15	Vicia (s)		262-336
16	,, ,,	481	
17	,, ,,		19-104
23-25	,, ,,	180	
26-28	,, ,,		734
29-30	,, ,,	III-~~2xx~~ 260-341-513	
31	,, ,,		640
11	,, amoena		80
26-28	,, angustif. V lutescens, etc.		304
23-25	,, benghalese	871	
26-28	,, bithynica V elegans, etc.		633
2-33	,, Cassubica		42
19	,, cordata		554
12	,, condensata		210
18	,, Cracca V linearis		282
29-30	,, ,, forma pallidiflora		226
26-28	,, ,, Vars.	613	
23-25	,, Garlandii (fr descriptn [illegible])		381
23-25	,, hybrida		887
W	,, ,,	179-334	
26-28	,, Lathyroides V cirrhifera, etc.		23-304
23-25	,, ,, V robusta		180
31	,, laevigata		554
31	,, lutea V glabrescens	555	
29-30	,, Orobus		226
23-25	,, sativa. (Key)		767
13	,, ,, V obovata	315	
23-25	,, ,, ,, ,,		381
29-30	Vinca (s)		361
29-30	,, minor		126

5	Viola (s)	I56
8	,, ,,	330-36I
9	,, ,,	4I2-438
I0	,, ,,	497-543
I3	,, ,,	454
I4	,, ,,	62-I22
I5	,, ,,	326
I6	,, ,,	403-473-560
I7	,, ,,	98-2I0
I8	,, ,,	370
I9	,, ,,	642
20	,, ,,	II3-I74
2I	,, ,,	374
22	,, ,,	7I9
23-25	,, ,,	865
26-28	,, ,,	727-794
29-30	,, ,,	I05-222-293-298-335-508
3I	,, ,,	638-823
32-33	,, ,,	I64-426-44I-5I7-750
I3	,, Monograph ~~xx~~ (Criticism on Gregorys,)	347
I7	,, Notes.	I48a
I0	,, ,, (on Beckers Monog.)	527
23-25	,, ,,	3I9
29-30	,, ,, (Drabble)	457
8	,, Xs.	329

26-28	Viola arvensis (Notes on distribution.)	I9I
W(I6-I7)	,, ,, V cantiana	9
3I	,, biflora	553
23-25	,, canina X montana	I032
I2	,, ,, V pusilla, etc.	I54
I2	,, ,, formas leucorus & sabulosa	I54
29-30	,, contempta V patula	20
23-25	,, epipsila & Juressi	29
I0	,, ,,	497
II	,, ,,	II-75
23-25	,, faroensis	I033
I7	,, lactea X Riviniana	2II
23-25	,, ,, ,, ,,	865
W	,, ,, V pumiliforme, etc.	22I
I2	,, ,, ,, ,,	I55
32-33	,, Mckaii (Pesneaui)	I64
I2	,, Riviniana V pseudo-mirabilis	I54
I2	,, rupestris	I54
29-30	Viscum album	I36
I8	Volvulus dahuricus	296
29-30	,, sepium V coloratus	362

23-25	Wales. N, Notes (Vachell)	606
32-33	Weather of 1932	280
29-30	Weingartneria canescens	144
23-25	Welsh Botany	944
31	,, Timber (Review)	606
23-25	Wheldon. Obit.	548
32-33	White. J.W. Obit.	83
19	Wilckia maritima	638
29-30	,, ,,	103
31	,, ,,	636
9	Williams Prodomus	423
31	Willows. (Long Paper)	719

X.

29-30 Xanthium (s) 356

23-25 ,, Strumarium 575

xxxxxxxxxxxxxxxxxxxxxxxxxxx

Y.
(unrepresented)

xxxxxxxxxxxxxxxxxxxxxxxxxxx

Z.

32-33 Zacyntha verrucosa 27-343

I7 Zannichellia (s) I3I
32-33 ,, ,, 235

9 ~~x xxx~~ ,, gibberosa 420
I0 ,, ,, 600
I9 ,, ,, 684

32-33 ,, pal. V genuina 546-773

32-33 ,, pedicillata V pedunculata 546-773

W ,, pedunculata 5I2
29-30 ,, ,, 528

I6 Zealand. New, Flora 447
23-25 ,, ,, ,, 83
26-28 ,, ,, ,, 350

29-30 ,, ,, Plants 54

2I Zetlandica Flora. 457

23-25 ,, ,, (additions) 628

26-28 ,, ,, 770

32-33 Zoegea Leptaurea 47I

29-30 Zostera (s) 374

32-33 ,, forms. 592

32-33 ,, marina 623

W ,, ,, V stenophylla 363